

WORKBOOK 2021



ROAD

**DOGMA F12
DOGMA F12 XLIGHT
DOGMA F10
PRINCE FX
PRINCE**

ALL ROAD

**GREVIL +
GREVIL
CROSSISTA+
CROSSISTA**

TIME ATTACK

**BOLIDE TT
BOLIDE TR +
BOLIDE TR
BOLIDE HR
MAAT ITALIA**



PINARELLO

PINARELLO

P ZERO

**DOGMA
F12**



A566 GREY BLACK | A567 GREY BLACK - DISK | Torayca T1100 1K Dream Carbon with Nanoalloy Technology

- Fork ONDA F12 with ForkFlap™
- TIGR™ Total Internal Cable Routing
- E-Link™
- Drop in Bearing System 1" 1/2 - 1"1/2
- Italian thread BB

- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- UCI Approved
- RAD SYSTEM Disk brake

- Front Axle 100x12mm Shimano®
- Rear Axle 142x12mm Shimano®
- Disk Flat Mount max 160mm
- Max Tire 700x28mm

**DOGMA
F12**



A568 MARS ORANGE | A569 MARS ORANGE - DISK | Torayca T1100 1K Dream Carbon with Nanoalloy Technology

- Fork ONDA F12 with ForkFlap™
- TIGR™ Total Internal Cable Routing
- E-Link™
- Drop in Bearing System 1" 1/2 - 1"1/2
- Italian thread BB

- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- UCI Approved
- RAD SYSTEM Disk brake

- Front Axle 100x12mm Shimano®
- Rear Axle 142x12mm Shimano®
- Disk Flat Mount max 160mm
- Max Tire 700x28mm

**DOGMA
F12**



A562 ASTRO WHITE | A563 ASTRO WHITE - DISK | Torayca T1100 1K Dream Carbon with Nanoalloy Technology

- Fork ONDA F12 with ForkFlap™
- TIGR™ Total Internal Cable Routing
- E-Link™
- Drop in Bearing System 1" 1/2 - 1"1/2
- Italian thread BB

- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- UCI Approved
- RAD SYSTEM Disk brake

- Front Axle 100x12mm Shimano®
- Rear Axle 142x12mm Shimano®
- Disk Flat Mount max 160mm
- Max Tire 700x28mm

**DOGMA
F12**



A564 VULCAN RED | A565 VULCAN RED - DISK | Torayca T1100 1K Dream Carbon with Nanoalloy Technology

- Fork ONDA F12 with ForkFlap™
- TIGR™ Total Internal Cable Routing
- E-Link™
- Drop in Bearing System 1" 1/2 - 1"1/2
- Italian thread BB

- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- UCI Approved
- RAD SYSTEM Disk brake

- Front Axle 100x12mm Shimano®
- Rear Axle 142x12mm Shimano®
- Disk Flat Mount max 160mm
- Max Tire 700x28mm

**DOGMA
F12**



A570 ZEUS BLUE | A571 ZEUS BLUE - DISK | Torayca T1100 1K Dream Carbon with Nanoalloy Technology

- Fork ONDA F12 with ForkFlap™
- TIGR™ Total Internal Cable Routing
- E-Link™
- Drop in Bearing System 1" 1/2 - 1"1/2
- Italian thread BB

- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- UCI Approved
- RAD SYSTEM Disk brake

- Front Axle 100x12mm Shimano®
- Rear Axle 142x12mm Shimano®
- Disk Flat Mount max 160mm
- Max Tire 700x28mm

**DOGMA
F12**



A560 BOB | A561 BOB - DISK | Torayca T1100 1K Dream Carbon with Nanoalloy Technology

- Fork ONDA F12 with ForkFlap™
- TIGR™ Total Internal Cable Routing
- E-Link™
- Drop in Bearing System 1" 1/2 - 1"1/2
- Italian thread BB

- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- UCI Approved
- RAD SYSTEM Disk brake

- Front Axle 100x12mm Shimano®
- Rear Axle 142x12mm Shimano®
- Disk Flat Mount max 160mm
- Max Tire 700x28mm

**DOGMA
F12**



A556 VENICE BLUE | A557 VENICE BLUE - DISK | Torayca T1100 1K Dream Carbon with Nanoalloy Technology

- Fork ONDA F12 with ForkFlap™
- TIGR™ Total Internal Cable Routing
- E-Link™
- Drop in Bearing System 1" 1/2 - 1"1/2
- Italian thread BB

- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- UCI Approved
- RAD SYSTEM Disk brake

- Front Axle 100x12mm Shimano®
- Rear Axle 142x12mm Shimano®
- Disk Flat Mount max 160mm
- Max Tire 700x28mm

**DOGMA
F12**



A554 SIDERAL GREY | A555 SIDERAL GREY - DISK | Torayca T1100 1K Dream Carbon with Nanoalloy Technology

- Fork ONDA F12 with ForkFlap™
- TIGR™ Total Internal Cable Routing
- E-Link™
- Drop in Bearing System 1" 1/2 - 1"1/2
- Italian thread BB

- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- UCI Approved
- RAD SYSTEM Disk brake

- Front Axle 100x12mm Shimano®
- Rear Axle 142x12mm Shimano®
- Disk Flat Mount max 160mm
- Max Tire 700x28mm

**DOGMA
F12**



A550 BLUE STEEL | A551 BLUE STEEL - DISK | Torayca T1100 1K Dream Carbon with Nanoalloy Technology

- Fork ONDA F12 with ForkFlap™
- TIGR™ Total Internal Cable Routing
- E-Link™
- Drop in Bearing System 1" 1/2 - 1"1/2
- Italian thread BB
- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- UCI Approved
- RAD SYSTEM Disk brake

- Front Axle 100x12mm Shimano®
- Rear Axle 142x12mm Shimano®
- Disk Flat Mount max 160mm
- Max Tire 700x28mm



432 URANUS BLACK RED - DISK



431 GALAXY BLUE - DISK



15 TEAM INEOS - DISK



441 METEOR RED - DISK



442 VENUS ORANGE - DISK



436 OSIUM WHITE - DISK

- Fork ONDA F12 with ForkFlap™
- TlCR™ Total Internal Cable Routing
- E-Link™
- Drop in Bearing System 1" 1/2 - 1"1/2
- Italian thread BB

- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- UCI Approved
- RAD SYSTEM Disk brake

- Front Axle 100x12mm Shimano®
- Rear Axle 142x12mm Shimano®
- Disk Flat Mount max 160mm
- Max Tire 700x28mm



443 VERTIGO BLUE - DISK



430 BOB - DISK



444 BLACK MATT - DISK

- Fork ONDA F12 with ForkFlap™
- TIGR™ Total Internal Cable Routing
- E-Link™
- Drop in Bearing System 1" 1/2 - 1"1/2
- Italian thread BB

- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- UCI Approved
- RAD SYSTEM Disk brake

- Front Axle 100x12mm Shimano®
- Rear Axle 142x12mm Shimano®
- Disk Flat Mount max 160mm
- Max Tire 700x28mm



429 URANUS BLACK/RED



428 GALAXY BLUE



14 TEAM INEOS



437 METEOR RED



438 VENUS ORANGE



435 OSIUM WHITE

- Asymmetric Frame
- Fork ONDA F12 with ForkFlap™
- E-Link™
- TIGR™ Total Internal Cable Routing

- Drop in Bearing System 1" 1/2 - 1" 1/2
- Italian thread BB
- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle

- FlatBack Profile
- Direct Mount Brake system
- UCI Approved
- Max Tyre 700x28mm



439 VERTIGO BLUE



427 BOB



440 BLACK MATT

- Fork ONDA F12 with ForkFlap™
- TIGR™ Total Internal Cable Routing
- E-Link™
- Drop in Bearing System 1" 1/2 - 1" 1/2
- Italian thread BB

- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- UCI Approved
- RAD SYSTEM Disk brake

- Front Axle 100x12mm Shimano®
- Rear Axle 142x12mm Shimano®
- Disk Flat Mount max 160mm
- Max Tire 700x28mm



455 TEAM INEOS - DISK



471 BOB - DISK

- Asymmetric Frame
- Fork ONDA F12 with ForkFlap™
- TIGR™ Total Internal Cable Routing
- E-Link™
- Drop in Bearing System 1" 1/2 - 1" 1/2

- Italian thread BB
- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- UCI Approved

- RAD SYSTEM Disk brake
- Front Axle 100x12mm Shimano®
- Rear Axle 142x12mm Shimano®
- Disk Flat Mount max 160mm
- Max Tire 700x28mm



453 TEAM INEOS



466 BOB

- Asymmetric Frame
- Fork ONDA F12 with ForkFlap™
- E-Link™
- TICR™ Total Internal Cable Routing

- Drop in Bearing System 1" 1/2 - 1" 1/2
- Italian thread BB
- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle

- FlatBack Profile
- Direct Mount Brake system
- UCI Approved
- Max Tyre 700x28mm



PINARELLO
DOOMA
F10
PINARELLO

PINARELLO

TORAYCA
1100K

TORAYCA
1100K
W/ BONDAC CARBON



209 VULCANO DISK



948 BOB - DISK



213 AMETISTA - DISK

- Carbon Torayca T1100 1K Dream Carbon with Nanoalloy Technology
- Asymmetric Frame
- Fork ONDA F10 with ForkFlap™
- Think2 System with E-Link™
- ICR™ Internal Cable Routing
- Drop in Bearing System 1" 1/8 - 1"1/2

- Italian thread BB
- Seatclamp TwinForce
- 3XAir™ two positions available
- for the second bottle
- FlatBack Profile
- UCI Approved

- RAD SYSTEM Disk brake
- Front Axle 100x12mm Shimano®
- Rear Axle 142x12mm Shimano®
- Disk Flat Mount max 160mm
- Max Tyre 700x25mm



199 VULCANO



200 BOB



205 AMETISTA

- Carbon Torayca T1100 1K Dream Carbon with Nanoalloy Technology
- Asymmetric Frame
- Fork ONDA F10 with ForkFlap™
- Think2 System with E-Link™
- ICR™ Internal Cable Routing

- Drop in Bearing System 1" 1/8 - 1" 1/2
- Italian thread BB
- Seatclamp TwinForce
- 3XAir™ two positions available
- for the second bottle

- FlatBack Profile
- UCI Approved
- Max Tyre 700x25mm



**PRINCE
FX**



A231 BOB - DISK | Carbon T900 3K

- Asymmetric Frame
- Fork ONDA with ForkFlap™
- FlatBack Profile
- Concave Downtube
- Wheel shaped Downtube
- TiCR™ Total Internal Cable Routing

- E-Link™
- Drop in Bearing System 1" 1/2 - 1" 1/2
- Italian thread BB
- FSC Frontal Seatclamp
- 3XAir™
- RAD SYSTEM Disk brake

- Front Axle 100x12mm Shimano®
- Rear Axle 142x12mm Shimano®
- Disk Flat Mount max 160mm
- Max Tire 700x28mm
- UCI Approved

**PRINCE
FX**



A232 RED - DISK | Carbon T900 3K

- Asymmetric Frame
- Fork ONDA with ForkFlap™
- FlatBack Profile
- Concave Downtube
- Wheel shaped Downtube
- TiCR™ Total Internal Cable Routing

- E-Link™
- Drop in Bearing System 1" 1/2 - 1" 1/2
- Italian thread BB
- FSC Frontal Seatclamp
- 3XAir™
- RAD SYSTEM Disk brake

- Front Axle 100x12mm Shimano®
- Rear Axle 142x12mm Shimano®
- Disk Flat Mount max 160mm
- Max Tire 700x28mm
- UCI Approved

**PRINCE
FX**



A233 FLASH SKY - DISK | Carbon T900 3K

- Asymmetric Frame
- Fork ONDA with ForkFlap™
- FlatBack Profile
- Concave Downtube
- Wheel shaped Downtube
- TiCR™ Total Internal Cable Routing

- E-Link™
- Drop in Bearing System 1" 1/2 - 1" 1/2
- Italian thread BB
- FSC Frontal Seatclamp
- 3XAir™
- RAD SYSTEM Disk brake

- Front Axle 100x12mm Shimano®
- Rear Axle 142x12mm Shimano®
- Disk Flat Mount max 160mm
- Max Tire 700x28mm
- UCI Approved

**PRINCE
FX**



A234 ORANGE - DISK | Carbon T900 3K

- Asymmetric Frame
- Fork ONDA with ForkFlap™
- FlatBack Profile
- Concave Downtube
- Wheel shaped Downtube
- TiCR™ Total Internal Cable Routing

- E-Link™
- Drop in Bearing System 1" 1/2 - 1" 1/2
- Italian thread BB
- FSC Frontal Seatclamp
- 3XAir™
- RAD SYSTEM Disk brake

- Front Axle 100x12mm Shimano®
- Rear Axle 142x12mm Shimano®
- Disk Flat Mount max 160mm
- Max Tire 700x28mm
- UCI Approved

PRINCE
FX



A235 WHITE - DISK | Carbon T900 3K

- Asymmetric Frame
- Fork ONDA with ForkFlap™
- FlatBack Profile
- Concave Downtube
- Wheel shaped Downtube
- TiCR™ Total Internal Cable Routing

- E-Link™
- Drop in Bearing System 1" 1/2 - 1" 1/2
- Italian thread BB
- FSC Frontal Seatclamp
- 3XAir™
- RAD SYSTEM Disk brake

- Front Axle 100x12mm Shimano®
- Rear Axle 142x12mm Shimano®
- Disk Flat Mount max 160mm
- Max Tire 700x28mm
- UCI Approved

**PRINCE
FX**



A221 BOB | Carbon T900 3K

- Asymmetric Frame
- Fork ONDA with ForkFlap™
- FlatBack Profile
- Concave Downtube
- Wheel shaped Downtube

- TiCR™ Total Internal Cable Routing
- E-Link™
- Drop in Bearing System 1" 1/2 - 1" 1/2
- Italian thread BB
- FSC Frontal Seatclamp

- 3XAir™
- Direct Mount brake system
- Max Tire 700x28mm
- UCI Approved

**PRINCE
FX**



A222 RED | Carbon T900 3K

- Asymmetric Frame
- Fork ONDA with ForkFlap™
- FlatBack Profile
- Concave Downtube
- Wheel shaped Downtube

- TiCR™ Total Internal Cable Routing
- E-Link™
- Drop in Bearing System 1" 1/2 - 1" 1/2
- Italian thread BB
- FSC Frontal Seatclamp

- 3XAir™
- Direct Mount brake system
- Max Tire 700x28mm
- UCI Approved

**PRINCE
FX**



A223 FLASH SKY | Carbon T900 3K

- Asymmetric Frame
- Fork ONDA with ForkFlap™
- FlatBack Profile
- Concave Downtube
- Wheel shaped Downtube

- TiCR™ Total Internal Cable Routing
- E-Link™
- Drop in Bearing System 1" 1/2 - 1" 1/2
- Italian thread BB
- FSC Frontal Seatclamp

- 3XAir™
- Direct Mount brake system
- Max Tire 700x28mm
- UCI Approved

**PRINCE
FX**



A224 ORANGE | Carbon T900 3K

- Asymmetric Frame
- Fork ONDA with ForkFlap™
- FlatBack Profile
- Concave Downtube
- Wheel shaped Downtube

- TiCR™ Total Internal Cable Routing
- E-Link™
- Drop in Bearing System 1" 1/2 - 1" 1/2
- Italian thread BB
- FSC Frontal Seatclamp

- 3XAir™
- Direct Mount brake system
- Max Tire 700x28mm
- UCI Approved

**PRINCE
FX**



A225 WHITE | Carbon T900 3K

- Asymmetric Frame
- Fork ONDA with ForkFlap™
- FlatBack Profile
- Concave Downtube
- Wheel shaped Downtube

- TiCR™ Total Internal Cable Routing
- E-Link™
- Drop in Bearing System 1" 1/2 - 1" 1/2
- Italian thread BB
- FSC Frontal Seatclamp

- 3XAir™
- Direct Mount brake system
- Max Tire 700x28mm
- UCI Approved



PINARELLO

MOST

XB

CO

PRINCE



A211 BOB - DISK | Carbon T700 UD

- Asymmetric frame
- Flatback profiles
- Concave Downtube
- Wheel shaped Downtube
- Fork Flap
- Italian thread BB

- Drop In bearing system (1" 1/2 ; 1" 1/2)
- TiCR™ Total Internal Cable Routing
- FSC Frontal seatclamp
- E-Link™
- 3X Air
- RAD SYSTEM Disk brake

- Front Axle 100x12mm Shimano®
- Rear Axle 142x12mm Shimano®
- Disk Flat Mount max 160mm
- Max Tyre 700x28mm
- UCI approved

PRINCE



A212 RED - DISK | Carbon T700 UD

- Asymmetric frame
- Flatback profiles
- Concave Downtube
- Wheel shaped Downtube
- Fork Flap
- Italian thread BB

- Drop In bearing system (1" 1/2; 1" 1/2)
- TiCR™ Total Internal Cable Routing
- FSC Frontal seatclamp
- E-Link™
- 3X Air
- RAD SYSTEM Disk brake

- Front Axle 100x12mm Shimano®
- Rear Axle 142x12mm Shimano®
- Disk Flat Mount max 160mm
- Max Tyre 700x28mm
- UCI approved

PRINCE



A213 BLUE STEEL - DISK | Carbon T700 UD

- Asymmetric frame
- Flatback profiles
- Concave Downtube
- Wheel shaped Downtube
- Fork Flap
- Italian thread BB

- Drop In bearing system (1" 1/2; 1" 1/2)
- TiCR™ Total Internal Cable Routing
- FSC Frontal seatclamp
- E-Link™
- 3X Air
- RAD SYSTEM Disk brake

- Front Axle 100x12mm Shimano®
- Rear Axle 142x12mm Shimano®
- Disk Flat Mount max 160mm
- Max Tyre 700x28mm
- UCI approved

PRINCE



A214 WHITE - DISK | Carbon T700 UD

- Asymmetric frame
- Flatback profiles
- Concave Downtube
- Wheel shaped Downtube
- Fork Flap
- Italian thread BB

- Drop In bearing system (1" 1/2; 1" 1/2)
- TiCR™ Total Internal Cable Routing
- FSC Frontal seatclamp
- E-Link™
- 3X Air
- RAD SYSTEM Disk brake

- Front Axle 100x12mm Shimano®
- Rear Axle 142x12mm Shimano®
- Disk Flat Mount max 160mm
- Max Tyre 700x28mm
- UCI approved

PRINCE



A215 BOB PINK - DISK | Carbon T700 UD

- Asymmetric frame
- Flatback profiles
- Concave Downtube
- Wheel shaped Downtube
- Fork Flap
- Italian thread BB

- Drop In bearing system (1" 1/2; 1" 1/2)
- TiCR™ Total Internal Cable Routing
- FSC Frontal seatclamp
- E-Link™
- 3X Air
- RAD SYSTEM Disk brake

- Front Axle 100x12mm Shimano®
- Rear Axle 142x12mm Shimano®
- Disk Flat Mount max 160mm
- Max Tyre 700x28mm
- UCI approved



GREVIL+



A305 CARBON GREY - DISK | Torayca T1100 1K Dream Carbon with Nanoalloy Technology

- Asymmetric frame
- Twin Arms Asymmetric
- Flexstays
- Dedicated Onda fork
- AERO seat post
- FSC Frontal seat clamp, integrated and aerodynamic
- Think 2 to fit electronic or mechanical groupsets on the same frame

- ICR internal cable routing
- Drop In bearing system 1" 1/8 up; 1" 1/2 down
- Italian thread BB
- Flatback profiles
- Fork Flap
- E-link
- Down tube bottle cage

- Max Tire: 700c x 42 mm / Max Tire: 650b x 2,1"
- 1x and 2x crankset option
- RAD SYSTEM disc brakes
- Disc Flat Mount (max Ø160 mm)
- Front Axle Ø12 x 100 mm Shimano®
- Rear Axle Ø12 x 142 mm Shimano®



A306 CARBON FLASH SKY - DISK | Torayca T1100 1K Dream Carbon with Nanoalloy Technology

- Asymmetric frame
- Twin Arms Asymmetric
- Flexstays
- Dedicated Onda fork
- AERO seat post
- FSC Frontal seat clamp, integrated and aerodynamic
- Think 2 to fit electronical or mechanical groupsets on the same frame

- ICR internal cable routing
- Drop In bearing system 1" 1/8 up; 1" 1/2 down
- Italian thread BB
- Flatback profiles
- Fork Flap
- E-link
- Down tube bottle cage

- Max Tire: 700c x 42 mm / Max Tire: 650b x 2,1"
- 1x and 2x crankset option
- RAD SYSTEM disc brakes
- Disc Flat Mount (max Ø160 mm)
- Front Axle Ø12 x 100 mm Shimano®
- Rear Axle Ø12 x 142 mm Shimano®



294 BOB - DISK | Torayca T1100 1K Dream Carbon with Nanoalloy Technology

- Asymmetric frame
- Twin Arms Asymmetric
- Flexstays
- Dedicated Onda fork
- AERO seat post
- FSC Frontal seat clamp, integrated and aerodynamic
- Think 2 to fit electronical or mechanical groupsets on the same frame

- ICR internal cable routing
- Drop In bearing system 1" 1/8 up; 1" 1/2 down
- Italian thread BB
- Flatback profiles
- Fork Flap
- E-link
- Down tube bottle cage

- Max Tire: 700c x 42 mm / Max Tire: 650b x 2,1"
- 1x and 2x crankset option
- RAD SYSTEM disc brakes
- Disc Flat Mount (max Ø160 mm)
- Front Axle Ø12 x 100 mm Shimano®
- Rear Axle Ø12 x 142 mm Shimano®



GREVIL

KVO

GREVIL



A301 BOB - DISK | Carbon Torayca T700 UD

- Asymmetric frame
- Twin Arms Asymmetric
- Flexstays
- Dedicated Onda fork
- AERO seat post
- FSC Frontal seat clamp, integrated and aerodynamic
- Think 2 to fit electronic or mechanical groupsets on the same frame

- ICR internal cable routing
- Drop In bearing system with tapered headset (1" 1/8 up; 1" 1/2 down)
- Italian thread BB
- Flatback profiles
- Fork Flap
- E-link
- Down tube bottle cage

- Max Tire: 700c x 42 mm / Max Tire: 650b x 2,1"
- 1x and 2x crankset option
- RAD SYSTEM disc brakes
- Disc Flat Mount (max Ø160 mm)
- Front Axle Ø12 x 100 mm Shimano®
- Rear Axle Ø12 x 142 mm Shimano®

GREVIL



A302 ASTEROID - DISK | Carbon Torayca T700 UD

- Asymmetric frame
- Twin Arms Asymmetric
- Flexstays
- Dedicated Onda fork
- AERO seat post
- FSC Frontal seat clamp, integrated and aerodynamic
- Think 2 to fit electronical or mechanical groupsets on the same frame

- ICR internal cable routing
- Drop In bearing system with tapered headset (1" 1/8 up; 1" 1/2 down)
- Italian thread BB
- Flatback profiles
- Fork Flap
- E-link
- Down tube bottle cage

- Max Tire: 700c x 42 mm / Max Tire: 650b x 2,1"
- 1x and 2x crankset option
- RAD SYSTEM disc brakes
- Disc Flat Mount (max Ø160 mm)
- Front Axle Ø12 x 100 mm Shimano®
- Rear Axle Ø12 x 142 mm Shimano®

GREVIL



A303 BURGUNDY - DISK | Carbon Torayca T700 UD

- Asymmetric frame
- Twin Arms Asymmetric
- Flexstays
- Dedicated Onda fork
- AERO seat post
- FSC Frontal seat clamp, integrated and aerodynamic
- Think 2 to fit electronical or mechanical groupsets on the same frame

- ICR internal cable routing
- Drop In bearing system with tapered headset (1" 1/8 up; 1" 1/2 down)
- Italian thread BB
- Flatback profiles
- Fork Flap
- E-link
- Down tube bottle cage

- Max Tire: 700c x 42 mm / Max Tire: 650b x 2,1"
- 1x and 2x crankset option
- RAD SYSTEM disc brakes
- Disc Flat Mount (max Ø160 mm)
- Front Axle Ø12 x 100 mm Shimano®
- Rear Axle Ø12 x 142 mm Shimano®

CROSSISTA+



451 BOB - DISK | Carbon Torayca T700 UD

- Asymmetric frame
- Italian thread BB
- Drop In bearing system with tapered headset (1" 1/8 up; 1" 1/2 down)
- "Hold On Shoulder" top tube
- Flexstays
- Dedicated Onda fork
- AERO seat post

- Think 2 to fit electrical or mechanical groupsets on the same frame
- ICR internal cable routing (BB guide removed)
- FSC Frontal seat clamp, integrated and aerodynamic
- Flatback profiles
- E-link
- Max Tyre 700c x 42 mm
- RAD SYSTEM disc brakes

- Disc Flat Mount (max Ø160 mm)
- Front Axle Ø12 x 100 mm Shimano®
- Rear Axle Ø12 x 142 mm Shimano®
- UCI approved
- Possibility to mount both double and single chainring (removing the front derailleur hanger)

CROSSISTA



448 BOB - DISK | Carbon Torayca T700 UD

- Asymmetric frame
- Italian thread BB
- Drop In bearing system with tapered headset (1" 1/8 up; 1" 1/2 down)
- "Hold On Shoulder" top tube
- Flexstays
- Dedicated Onda fork
- AERO seat post

- Think 2 to fit electrical or mechanical groupsets on the same frame
- ICR internal cable routing (BB guide removed)
- FSC Frontal seat clamp, integrated and aerodynamic
- Flatback profiles
- E-link
- Max Tyre 700c x 42 mm
- RAD SYSTEM disc brakes

- Disc Flat Mount (max Ø160 mm)
- Front Axle Ø12 x 100 mm Shimano®
- Rear Axle Ø12 x 142 mm Shimano®
- UCI approved
- Possibility to mount both double and single chainring (removing the front derailleur hanger)

CROSSISTA



449 WHITE CARBON - DISK | Carbon Torayca T700 UD

- Asymmetric frame
- Italian thread BB
- Drop In bearing system with tapered headset (1" 1/8 up; 1" 1/2 down)
- "Hold On Shoulder" top tube
- Flexstays
- Dedicated Onda fork
- AERO seat post

- Think 2 to fit electrical or mechanical groupsets on the same frame
- ICR internal cable routing (BB guide removed)
- FSC Frontal seat clamp, integrated and aerodynamic
- Flatback profiles
- E-link
- Max Tyre 700c x 42 mm
- RAD SYSTEM disc brakes

- Disc Flat Mount (max Ø160 mm)
- Front Axle Ø12 x 100 mm Shimano®
- Rear Axle Ø12 x 142 mm Shimano®
- UCI approved
- Possibility to mount both double and single chainring (removing the front derailleur hanger)

CROSSISTA



450 CARBON RED - DISK | Carbon Torayca T700 UD

- Asymmetric frame
- Italian thread BB
- Drop In bearing system with tapered headset (1" 1/8 up; 1" 1/2 down)
- "Hold On Shoulder" top tube
- Flexstays
- Dedicated Onda fork
- AERO seat post

- Think 2 to fit electrical or mechanical groupsets on the same frame
- ICR internal cable routing (BB guide removed)
- FSC Frontal seat clamp, integrated and aerodynamic
- Flatback profiles
- E-link
- Max Tyre 700c x 42 mm
- RAD SYSTEM disc brakes

- Disc Flat Mount (max Ø160 mm)
- Front Axle Ø12 x 100 mm Shimano®
- Rear Axle Ø12 x 142 mm Shimano®
- UCI approved
- Possibility to mount both double and single chainring (removing the front derailleur hanger)





454 TEAM INEOS | Carbon T1100 with NANOALLOY Technology

- Time Trial BIKE
- Asymmetric Frame
- Drop in Bearing System 1" 1/8 - 1" 1/4

- Italian BB
- Front Axle Quick Release 100mm
- Rear Axle Quick Release 135mm

- Max Tires 700x23
- Seatpost Aero with Aero Rear Clamp
- UCI Approved

BOLIDE^{TR}



A315 CARBON FLASH SKY | Carbon Torayca T1100G UD with NANOALLOY Technology

- Asymmetric frame
- Drop In bearing system with tapered headset (1" 1/8 up; 1" 1/2 down)
- Internal cable routing
- Italian thread BB

- Flatback Profiles
- Fork Flap
- Seatpost Aero with Aero Rear Clamp
- RAD System Disk Brake

- Front Thru-Axle 100 x 12 Shimano
- Rear Thru-Axle 142 x 12 Shimano
- Disk Flat Mount max



829 CARBON RED



830 BOB

- Carbon Torayca T1100G UD with NANOALLOY Technology
- Asymmetric Frame
- Fork ONDA F12 with ForkFlap™
- TIGR™ Total Internal Cable Routing
- E-Link™
- Drop in Bearing System 1" 1/2 - 1" 1/2

- Italian thread BB
- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- UCI Approved
- RAD SYSTEM Disk brake

- Front Axle 100x12mm Shimano®
- Rear Axle 142x12mm Shimano®
- Disk Flat Mount max 160mm
- Max Tire 700x28mm

BOLIDE^{TR}



A311 BOB - DISK | Carbon Torayca T700 UD

- Asymmetric frame
- Drop In bearing system with tapered headset (1" 1/8 up; 1" 1/2 down)
- Internal cable routing
- Italian thread BB

- Flatback Profiles
- Fork Flap
- Seatpost Aero with Aero Rear Clamp
- RAD System Disk Brake

- Front Thru-Axle 100 x 12 Shimano
- Rear Thru-Axle 142 x 12 Shimano
- Disk Flat Mount max 160mm
- Max Tire 700 x 28

BOLIDE^{TR}



A312 ORANGE - DISK | Carbon Torayca T700 UD

- Asymmetric frame
- Drop In bearing system with tapered headset (1" 1/8 up; 1" 1/2 down)
- Internal cable routing
- Italian thread BB

- Flatback Profiles
- Fork Flap
- Seatpost Aero with Aero Rear Clamp
- RAD System Disk Brake

- Front Thru-Axle 100 x 12 Shimano
- Rear Thru-Axle 142 x 12 Shimano
- Disk Flat Mount max 160mm
- Max Tire 700 x 28

BOLIDE^{TR}



A313 FLASH SKY - DISK | Carbon Torayca T700 UD

- Asymmetric frame
- Drop In bearing system with tapered headset (1" 1/8 up; 1" 1/2 down)
- Internal cable routing
- Italian thread BB

- Flatback Profiles
- Fork Flap
- Seatpost Aero with Aero Rear Clamp
- RAD System Disk Brake

- Front Thru-Axle 100 x 12 Shimano
- Rear Thru-Axle 142 x 12 Shimano
- Disk Flat Mount max 160mm
- Max Tire 700 x 28

BOLIDE HR



866 WHITE BLUE RED | Carbon Torayca T700 UD

- Track BIKE
- Asymmetric Frame
- Drop in Bearing System 1" 1/8 - 1"1/4

- Italian BB
- Axles Bolt-ON
- Max Tires 700x23

- Seatpost Aero with Aero Rear Clamp
- UCI Approved



MOST

PINARELLO

PIKE

GRAPHE



A500 BOB | Carbon Torayca T1100 1K

- Asymmetric Frame
- Drop in Bearing System 1" 1/8 - 1" 1/4
- Italian BB
- Axles bolt-on

- Max Tires 700x23
- Seatpost Aero with Aero Rear Clamp
- FlatBack Profile
- UCI approved

- Weight: 1350 gr raw frame, not painted
- 5 sizes available
- 3 sizes integrated handlebar

MIPAT
ITALIA



A501 RED | Carbon Torayca T1100 1K

- Asymmetric Frame
- Drop in Bearing System 1" 1/8 - 1"1/4
- Italian BB
- Axles bolt-on

- Max Tires 700x23
- Seatpost Aero with Aero Rear Clamp
- FlatBack Profile
- UCI approved

- Weight: 1350 gr raw frame, not painted
- 5 sizes available
- 3 sizes integrated handlebar

MFFIT
ITALIA



A502 ITALIA | Carbon Torayca T1100 1K


- Asymmetric Frame
- Drop in Bearing System 1" 1/8 - 1" 1/4
- Italian BB
- Axles bolt-on

- Max Tires 700x23
- Seatpost Aero with Aero Rear Clamp
- FlatBack Profile
- UCI approved

- Weight: 1350 gr raw frame, not painted
- 5 sizes available
- 3 sizes integrated handlebar



GEOMETRY





DOGMA F12 | DOGMA F12 DISK | DOGMA F12 XLIGHT | DOGMA F12 XLIGHT DISK

CF	CC	L	I	A [°]	B [°]	F	P	T	D	R	G	REACH	STACK
415	420	498	113	74,40	69,15	564	406	94	67	43	373	348,9	498,3
435	440	503	118	74,40	70,00	564	406	99	67	43	373	354,3	506
455	465	515	125	74,40	70,50	573	406	104	72	43	373	364,8	517,6
455	470	525	128	74,00	71,40	575	406	114	72	43	373	370,5	530,2
480	500	525	138	74,00	71,40	575	406	109	72	43	373	372,1	525,4
495	515	535	145	73,70	72,00	577	406	114	72	43	373	378	532,3
510	530	545	149	73,70	72,50	583	406	123	72	43	373	383,3	542,6
520	540	550	154	73,40	72,80	583	406	131	72	43	373	385	551,2
530	550	557	157	73,40	72,80	590	408	142	72	43	373	388,8	561,6
540	560	565	164	73,00	73,20	591	408	149,5	72	43	373	390,7	570,2
555	575	575	168	73,00	73,70	596	408	163	72	43	373	396,7	584,8
575	595	587	180	72,40	73,40	605	408	199	67	43	373	393,3	613,3
615	620	620	192	72,00	73,40	633	411	239	67	43	373	410,1	651,7

* DOGMA F12 XLIGHT / DOGMA F12 XLIGHT DISK NOT AVAILABLE IN 420-620 SIZES

DOGMA F10 | DOGMA F10 DISK

CF	CC	L	I	A [°]	B [°]	F	P	T	D	R	G	REACH	STACK
435	440	503	118	74,40	70,00	564	406	110	67	43	367	357	501
455	465	515	125	74,40	70,50	573	406	115	72	43	367	367	512
480	500	525	138	74,00	71,40	575	406	120	72	43	367	374	520
495	515	535	145	73,70	72,00	577	406	125	72	43	367	380	527
510	530	545	149	73,70	72,50	583	406	139	72	43	367	386	542
520	540	550	154	73,40	72,80	583	406	147	72	43	367	386	550
530	550	557	157	73,40	72,80	590	408	158	72	43	367	389	561
540	560	565	164	73,00	73,20	591	408	165	72	43	367	391	569
555	575	575	168	73,00	73,70	596	408	179	72	43	367	397	584
575	595	587	180	72,40	73,40	605	408	215	67	43	367	394	612
615	620	620	192	72,00	73,40	633	411	255	67	43	367	410	651



PRINCE FX DISK | PRINCE FX | PRINCE DISK | PRINCE

CF	CC	L	I	A [°]	B [°]	F	P	T	D	R	G	REACH	STACK
425	430	505	115	74,50	71,00	569	408	106	67	52	373	356	513
440	460	515	125	74,25	71,75	572	408	108	72	52	373	364	523
470	490	525	135	74,00	72,25	577	408	116	72	52	373	370	532
495	515	535	144	73,75	72,75	576	408	124	72	47	373	376	543
510	530	545	150,5	73,50	72,75	584	408	135	72	47	373	380	554
525	545	557	157	73,25	73,00	591	410	151	72	47	373	385	570
540	560	565	161	73,25	73,00	599	410	168	72	47	373	388	586
560	580	580	172	72,75	73,25	607	410	193	67	47	373	392	606
590	600	600	180	72,50	73,25	624	410	231	67	47	373	398	642

CROSSISTA + | CROSSISTA

CF	CC	L	I	A [°]	B [°]	F	P	T	D	R	G	REACH	STACK
480	490	510	127	75	70,5	584	425	100	65	50	402	366	522
495	505	525	135	74,5	71	592	425	118	65	50	402	371	541
510	520	540	143	74	71	603	425	135	65	50	402	377	557
530	540	555	153	73,5	71	614	425	155	65	50	402	382	576
550	560	570	164	73	72	615	425	170	65	50	402	387	594
570	580	585	174	72,5	72	625	425	187	65	50	402	392	610

GREVIL + | GREVIL

CF	CC	L	I	A [°]	B [°]	F	P	T	D	R	G	REACH	STACK
420	440	510	121	74,00	69,50	579	420	105	67	50	395	353	519
435	470	520	133	73,50	70,00	583	420	110	67	50	395	359	525
450	500	535	146	73,00	70,50	591	420	120	67	50	395	368	537
465	530	550	159	72,50	71,00	598	420	135	67	50	395	374	553
495	560	575	173	72,00	72,00	610	425	160	67	50	395	386	580
525	590	600	182	72,00	72,50	630	425	190	67	50	395	402	611



BOLIDE TT

CF	CC	L	I	A [°]	B [°]	F	P	T	D	R	G	REACH	STACK
472	450	488	101	77	72	559	395	70	57	43	368,5	380	461
492	485	507	109	77	72,5	576	395	82	62	43	368,5	396	479
508	520	526	117	77	73	593	395	96	62	43	368,5	413	494
521	550	545	124	77	73	614	395	110	62	43	368,5	430	507

BOLIDE TR+ | BOLIDE TR

CF	CC	L	I	A [°]	B [°]	F	P	T	D	R	G	REACH	STACK
472	450	480	94	78,00	72,00	557	395	90	65	43	373	369	492
492	485	500	101	78,00	72,50	576	395	106	70	43	373	386	515
507	520	520	108	78,00	73,00	595	395	120	70	43	373	405	530
537	550	540	114	78,00	73,00	618	395	134	70	43	373	424	543

BOLIDE HR

CF	CC	L	I	A [°]	B [°]	F	P	T	D	R	G	REACH	STACK
514	450	488	101	77	72	557	385	74	62	43	368,5	377	469
539	525	514	118	77	73	582	385	94	62	43	368,5	402	492
554	550	545	123	77	73	614	385	110	62	43	368,5	430	508

MAAT ITALIA

CF	CC	L	I	A [°]	B [°]	F	P	T	D	R	G	REACH	STACK
455	425	548	103	76.00°	73.50°	595	378	80	46	38	370	428	471
480	450	563	109	76.00°	74.00°	607	378	95	46	38	370	440	486
500	470	583	122	75.00°	74.00°	620	378	110	46	38	370	448	551
515	485	603	126	75.00°	74.00°	640	378	125	46	38	370	464	515
530	500	623	129	75.00°	74.00°	660	378	140	46	38	370	480	530



TECH FEATURES



MODEL	MATERIAL	DISCIPLINE	UCI LABEL	ASYM SYSTEM	BRAKE	BOTTOM BRACKET	HEADSET	CABLE ROUTING	AXLES	SUSPENSION
DOGMA F12 DISK	Carbon T1100 1K Torayca®	ROAD RACING	YES	YES	DISK Flat Mount	ITALIAN Thread	Drop In (Upper 1-1/2 - Lower 1-1/2)	TiCR	Thru Axle	NO
DOGMA F12	Carbon T1100 1K Torayca®	ROAD RACING	YES	YES	RIM Direct Mount	ITALIAN Thread	Drop In (Upper 1-1/2 - Lower 1-1/2)	TiCR	Quick Release	NO
DOGMA F12 XLIGHT DISK	Carbon T1100 UD Torayca®	ROAD RACING	YES	YES	DISK Flat Mount	ITALIAN Thread	Drop In (Upper 1-1/2 - Lower 1-1/2)	TiCR	Thru Axle	NO
DOGMA F12 XLIGHT	Carbon T1100 UD Torayca®	ROAD RACING	YES	YES	RIM Direct Mount	ITALIAN Thread	Drop In (Upper 1-1/2 - Lower 1-1/2)	TiCR	Quick Release	NO
DOGMA F10	Carbon T1100 1K Torayca®	ROAD RACING	YES	YES	RIM standard	ITALIAN Thread	Drop In (Upper 1-1/8 - Lower 1-1/2)	Think2	Quick Release	NO
PRINCE FX DISK	Carbon T900 3K	ROAD RACING	YES	YES	DISK Flat Mount	ITALIAN Thread	Drop In (Upper 1-1/2- Lower 1-1/2)	TiCR	Thru Axle	NO
PRINCE FX	Carbon T900 3K	ROAD RACING	YES	YES	RIM Direct Mount	ITALIAN Thread	Drop In (Upper 1-1/2- Lower 1-1/2)	TiCR	Quick Release	NO
PRINCE DISK	Carbon T700 UD	ROAD RACING	YES	YES	DISK Flat Mount	ITALIAN Thread	Drop In (Upper 1-1/2- Lower 1-1/2)	TiCR	Thru Axle	NO

MODEL	MATERIAL	DISCIPLINE	UCI LABEL	ASYM SYSTEM	BRAKE	BOTTOM BRACKET	HEADSET	CABLE ROUTING	AXLES	SUSPENSION
BOLIDE TT	Carbon T1100 UD Torayca®	TIME TRIAL	YES	YES	RIM Pinarello Bolide	ITALIAN Thread	Drop In (Upper 1-1/8 - Lower 1-1/4)	Think2	Quick Release	NO
BOLIDE TR +	Carbon T1100 UD Torayca®	TRIATHLON	NO	YES	DISK Flat Mount	ITALIAN Thread	Drop In (Upper 1-1/8 - Lower 1-1/2)	Think2	Thru Axle	NO
BOLIDE TR	Carbon T700 UD	TRIATHLON	NO	YES	DISK Flat Mount	ITALIAN Thread	Drop In (Upper 1-1/8 - Lower 1-1/2)	Think2	Thru Axle	NO
BOLIDE HR	Carbon T1100 1K Torayca®	TRACK	YES	YES	NO BRAKE	ITALIAN Thread	Drop In (Upper 1-1/8 - Lower 1-1/4)	NO CABLE	BOLT ON	NO
MAAT ITALIA	Carbon T1100 1K Torayca®	TRACK	YES	YES	NO BRAKE	ITALIAN Thread	Drop In (Upper 1-1/8 - Lower 1-1/4)	NO CABLE	BOLT ON	NO
GREVIL +	Carbon T1100 1K Torayca®	GRAVEL	NO	YES	DISK Flat Mount	ITALIAN Thread	Drop In (Upper 1-1/8 - Lower 1-1/2)	Think2	Thru Axle	NO
GREVIL	Carbon T700 UD	GRAVEL	NO	YES	DISK Flat Mount	ITALIAN Thread	Drop In (Upper 1-1/8 - Lower 1-1/2)	Think2	Thru Axle	NO
CROSSISTA +	Carbon T1100 UD Torayca®	CYCLO-CROSS	YES	YES	DISK Flat Mount	ITALIAN Thread	Drop In (Upper 1-1/8 - Lower 1-1/2)	Think2	Thru Axle	NO
CROSSISTA	Carbon T700 UD	CYCLO-CROSS	YES	YES	DISK Flat Mount	ITALIAN Thread	Drop In (Upper 1-1/8 - Lower 1-1/2)	Think2	Thru Axle	NO

PINARELLO.COM

