

WORKBOOK2019



#EndOfDiscussion

AMETISTA



**DOGMA
F10**

DOGMA F10

Carbon Torayca T1100 1K Dream Carbon
with Nanoalloy Technology

Asymmetric Frame

Fork ONDA F10 with ForkFlap™

Think2 System with E-Link™

ICR™ Internal Cable Routing

Drop in Bearing System 1" 1/8 - 1" 1/2

Italian thread BB

Seatclamp TwinForce

3XAir™ two positions available
for the second bottle

FlatBack Profile

UCI Approved

Max Tyre 700x25mm

PINARELLO
ThinkAsymmetric

205 Ametista



DIAMOND



**DOGMA
F10**

DOGMA F10

Carbon Torayca T1100 1K Dream Carbon
with Nanoalloy Technology

Asymmetric Frame

Fork ONDA F10 with ForkFlap™

Think2 System with E-Link™

ICR™ Internal Cable Routing

Drop in Bearing System 1" 1/8 - 1" 1/2

Italian thread BB

Seatclamp TwinForce

3XAir™ two positions available
for the second bottle

FlatBack Profile

UCI Approved

Max Tyre 700x25mm

PINARELLO
Think Asymmetric

204 Diamond



VULCANO



DOGMA
F10

DOGMA F10

Carbon Torayca T1100 1K Dream Carbon
with Nanoalloy Technology

Asymmetric Frame

Fork ONDA F10 with ForkFlap™

Think2 System with E-Link™

ICR™ Internal Cable Routing

Drop in Bearing System 1" 1/8 - 1" 1/2

Italian thread BB

Seatclamp **TwinForce**

3XAir™ two positions available
for the second bottle

FlatBack Profile

UCI Approved

Max Tyre 700x25mm

PINARELLO
ThinkAsymmetric

199 Vulcano



DIAMOND
BLUE



DOGMA
F10

DOGMA F10

Carbon Torayca T1100 1K Dream Carbon
with Nanoalloy Technology

Asymmetric Frame

Fork ONDA F10 with ForkFlap™

Think2 System with E-Link™

ICR™ Internal Cable Routing

Drop in Bearing System 1" 1/8 - 1" 1/2

Italian thread BB

Seatclamp **TwinForce**

3XAir™ two positions available
for the second bottle

FlatBack Profile

UCI Approved

Max Tyre 700x25mm

PINARELLO
ThinkAsymmetric

206 Diamond Blue



AMBRA



DOGMA
F10

DOGMA F10

Carbon Torayca T1100 1K Dream Carbon
with Nanoalloy Technology

Asymmetric Frame

Fork ONDA F10 with ForkFlap™

Think2 System with E-Link™

ICR™ Internal Cable Routing

Drop in Bearing System 1" 1/8 - 1"1/2

Italian thread BB

Seatclamp **TwinForce**

3XAir™ two positions available
for the second bottle

FlatBack Profile

UCI Approved

Max Tyre 700x25mm

PINARELLO
ThinkAsymmetric

202 Ambra



FLUORITE



**DOGMA
F10**

DOGMA F10

Carbon Torayca T1100 1K Dream Carbon
with Nanoalloy Technology

Asymmetric Frame

Fork ONDA F10 with ForkFlap™

Think2 System with E-Link™

ICR™ Internal Cable Routing

Drop in Bearing System 1" 1/8 - 1" 1/2

Italian thread BB

Seatclamp **TwinForce**

3XAir™ two positions available
for the second bottle

FlatBack Profile

UCI Approved

Max Tyre 700x25mm

PINARELLO
ThinkAsymmetric

201 Fluorite



BOB



DOGMA
F10

DOGMA F10

Carbon Torayca T1100 1K Dream Carbon
with Nanoalloy Technology

Asymmetric Frame

Fork ONDA F10 with ForkFlap™

Think2 System with E-Link™

ICR™ Internal Cable Routing

Drop in Bearing System 1" 1/8 - 1" 1/2

Italian thread BB

Seatclamp **TwinForce**

3XAir™ two positions available
for the second bottle

FlatBack Profile

UCI Approved

Max Tyre 700x25mm

PINARELLO
Think Asymmetric

200 BoB



Team Sky



**DOGMA
F10**

DOGMA F10

Carbon Torayca T1100 1K Dream Carbon
with Nanoalloy Technology

Asymmetric Frame

Fork ONDA F10 with ForkFlap™

Think2 System with E-Link™

ICR™ Internal Cable Routing

Drop in Bearing System 1" 1/8 - 1" 1/2

Italian thread BB

Seatclamp **TwinForce**

3XAir™ two positions available

for the second bottle

FlatBack Profile

UCI Approved

Max Tyre 700x25mm

PINARELLO
Think Asymmetric

941 Team Sky

947 Team Sky DISK



DOGMA F10

Carbon Torayca T1100 1K Dream Carbon
with Nanoalloy Technology

Asymmetric Frame

Fork ONDA F10 with ForkFlap™

Think2 System with E-Link™

ICR™ Internal Cable Routing

Drop in Bearing System 1" 1/8 - 1" 1/2

Italian thread BB

Seatclamp TwinForce

3XAir™ two positions available
for the second bottle

FlatBack Profile

UCI Approved

Max Tyre 700x25mm

946 Rhino Team Sky

225 Rhino Team Sky DISK

PINARELLO
Think Asymmetric





GIRO D'ITALIA

WINNERS

#EndOfDiscussion

218 Giro Pink 2018 - DOGMA F10
219 Giro Pink 2018 - DOGMA F10 **XLIGHT**
222 Giro Pink 2018 - DOGMA F10 **DISK**



220 Giro Black 2018 - DOGMA F10
221 Giro Black 2018 - DOGMA F10 **XLIGHT**
223 Giro Black 2018 - DOGMA F10 **DISK**



DOGMA
F101



DOGMA F101

Carbon Torayca T1100 1K Dream Carbon
with Nanoalloy Technology

Asymmetric Frame

Fork ONDA F10 with ForkFlap™

Think2 System with E-Link™

ICR™ Internal Cable Routing

Drop in Bearing System 1" 1/8 - 1" 1/2

Italian thread BB

Seatclamp TwinForce

3XAir™ two positions available
for the second bottle

FlatBack Profile

UCI Approved

Max Tyre 700x25mm

215 Giro d'Italia 101

217 Giro d'Italia 101 Disk

PINARELLO
Think Asymmetric



DOGMA F10

Carbon Torayca T1100 1K Dream Carbon
with Nanoalloy Technology

Asymmetric Frame

Fork ONDA F10 with ForkFlap™

Think2 System with E-Link™

ICR™ Internal Cable Routing

Drop in Bearing System 1" 1/8 - 1"1/2

Italian thread BB

Seatclamp **TwinForce**

3XAir™ two positions available
for the second bottle

FlatBack Profile

UCI Approved

Max Tyre 700x25mm

PINARELLO
Think Asymmetric

165 Sideral White



DOGMA F10

Carbon Torayca T1100 1K Dream Carbon
with Nanoalloy Technology

Asymmetric Frame

Fork ONDA F10 with ForkFlap™

Think2 System with E-Link™

ICR™ Internal Cable Routing

Drop in Bearing System 1" 1/8 - 1"1/2

Italian thread BB

Seatclamp TwinForce

3XAir™ two positions available
for the second bottle

FlatBack Profile

UCI Approved

Max Tyre 700x25mm

PINARELLO
Think Asymmetric

166 Red Magma



DOGMA F10

Carbon Torayca T1100 1K Dream Carbon
with Nanoalloy Technology

Asymmetric Frame

Fork ONDA F10 with ForkFlap™

Think2 System with E-Link™

ICR™ Internal Cable Routing

Drop in Bearing System 1" 1/8 - 1"1/2

Italian thread BB

Seatclamp **TwinForce**

3XAir™ two positions available
for the second bottle

FlatBack Profile

UCI Approved

Max Tyre 700x25mm

PINARELLO
ThinkAsymmetric

167 Black Lava



DOGMA F10

Carbon Torayca T1100 1K Dream Carbon
with Nanoalloy Technology

Asymmetric Frame

Fork ONDA F10 with ForkFlap™

Think2 System with E-Link™

ICR™ Internal Cable Routing

Drop in Bearing System 1" 1/8 - 1"1/2

Italian thread BB

Seatclamp **TwinForce**

3XAir™ two positions available
for the second bottle

FlatBack Profile

UCI Approved

Max Tyre 700x25mm

PINARELLO
ThinkAsymmetric

168 Sulfur Yellow



DOGMA F10

Carbon Torayca T1100 1K Dream Carbon
with Nanoalloy Technology

Asymmetric Frame

Fork ONDA F10 with ForkFlap™

Think2 System with E-Link™

ICR™ Internal Cable Routing

Drop in Bearing System 1" 1/8 - 1" 1/2

Italian thread BB

Seatclamp **TwinForce**

3XAir™ two positions available
for the second bottle

FlatBack Profile

UCI Approved

Max Tyre 700x25mm

PINARELLO
ThinkAsymmetric

169 Asteroid Red



DOGMA F10

Carbon Torayca T1100 1K Dream Carbon
with Nanoalloy Technology

Asymmetric Frame

Fork ONDA F10 with ForkFlap™

Think2 System with E-Link™

ICR™ Internal Cable Routing

Drop in Bearing System 1" 1/8 - 1"1/2

Italian thread BB

Seatclamp TwinForce

3XAir™ two positions available
for the second bottle

FlatBack Profile

UCI Approved

Max Tyre 700x25mm

PINARELLO
Think Asymmetric

170 BoB





DOGMA
F10
DISK

DOGMA F10 DISK

Carbon Torayca T1100 1K Dream Carbon
with Nanoalloy Technology

Asymmetric Frame

Fork ONDA F10 with ForkFlap™

Think2 System with E-Link™

ICR™ Internal Cable Routing

Drop in Bearing System 1" 1/8 - 1" 1/2

Italian thread BB

Seatclamp **TwinForce**

3XAir™ two positions available

FlatBack Profile

UCI Approved

RAD SYSTEM Disk brake

Front Axle 100x12mm Shimano®

Rear Axle 142x12mm Shimano®

Disk Flat Mount max 160mm

Max Tyre 700x25mm

214 Diamond Blue

PINARELLO
ThinkAsymmetric



DOGMA F10 DISK

Carbon Torayca T1100 1K Dream Carbon
with Nanoalloy Technology

Asymmetric Frame

Fork ONDA F10 with ForkFlap™

Think2 System with E-Link™

ICR™ Internal Cable Routing

Drop in Bearing System 1" 1/8 - 1" 1/2

Italian thread BB

Seatclamp **TwinForce**

3XAir™ two positions available

FlatBack Profile

UCI Approved

RAD SYSTEM Disk brake

Front Axle 100x12mm Shimano®

Rear Axle 142x12mm Shimano®

Disk Flat Mount max 160mm

Max Tyre 700x25mm

209 Vulcano

PINARELLO
Think Asymmetric



DOGMA F10 DISK

Carbon Torayca T1100 1K Dream Carbon
with Nanoalloy Technology

Asymmetric Frame

Fork ONDA F10 with ForkFlap™

Think2 System with E-Link™

ICR™ Internal Cable Routing

Drop in Bearing System 1" 1/8 - 1" 1/2

Italian thread BB

Seatclamp **TwinForce**

3XAir™ two positions available

FlatBack Profile

UCI Approved

RAD SYSTEM Disk brake

Front Axle 100x12mm Shimano®

Rear Axle 142x12mm Shimano®

Disk Flat Mount max 160mm

Max Tyre 700x25mm

210 Fluorite

PINARELLO
Think Asymmetric



DOGMA F10 DISK

Carbon Torayca T1100 1K Dream Carbon
with Nanoalloy Technology
Asymmetric Frame
Fork ONDA F10 with ForkFlap™
Think2 System with E-Link™
ICR™ Internal Cable Routing
Drop in Bearing System 1" 1/8 - 1" 1/2
Italian thread BB
Seatclamp TwinForce
3XAir™ two positions available
FlatBack Profile
UCI Approved
RAD SYSTEM Disk brake
Front Axle 100x12mm Shimano®
Rear Axle 142x12mm Shimano®
Disk Flat Mount max 160mm
Max Tyre 700x25mm

211 Ambra

PINARELLO
Think Asymmetric



DOGMA F10 DISK

Carbon Torayca T1100 1K Dream Carbon
with Nanoalloy Technology

Asymmetric Frame

Fork ONDA F10 with ForkFlap™

Think2 System with E-Link™

ICR™ Internal Cable Routing

Drop in Bearing System 1" 1/8 - 1" 1/2

Italian thread BB

Seatclamp TwinForce

3XAir™ two positions available

FlatBack Profile

UCI Approved

RAD SYSTEM Disk brake

Front Axle 100x12mm Shimano®

Rear Axle 142x12mm Shimano®

Disk Flat Mount max 160mm

Max Tyre 700x25mm

212 Diamond

PINARELLO
Think Asymmetric



DOGMA F10 DISK

Carbon Torayca T1100 1K Dream Carbon
with Nanoalloy Technology

Asymmetric Frame

Fork ONDA F10 with ForkFlap™

Think2 System with E-Link™

ICR™ Internal Cable Routing

Drop in Bearing System 1" 1/8 - 1" 1/2

Italian thread BB

Seatclamp **TwinForce**

3XAir™ two positions available

FlatBack Profile

UCI Approved

RAD SYSTEM Disk brake

Front Axle 100x12mm Shimano®

Rear Axle 142x12mm Shimano®

Disk Flat Mount max 160mm

Max Tyre 700x25mm

213 Ametista

PINARELLO
ThinkAsymmetric



DOGMA F10 DISK

Carbon Torayca T1100 1K Dream Carbon
with Nanoalloy Technology

Asymmetric Frame

Fork ONDA F10 with ForkFlap™

Think2 System with E-Link™

ICR™ Internal Cable Routing

Drop in Bearing System 1" 1/8 - 1" 1/2

Italian thread BB

Seatclamp **TwinForce**

3XAir™ two positions available

FlatBack Profile

UCI Approved

RAD SYSTEM Disk brake

Front Axle 100x12mm Shimano®

Rear Axle 142x12mm Shimano®

Disk Flat Mount max 160mm

Max Tyre 700x25mm

948 BoB

PINARELLO
Think Asymmetric



DOGMA F10 DISK

Carbon Torayca T1100 1K Dream Carbon
with Nanoalloy Technology

Asymmetric Frame

Fork ONDA F10 with ForkFlap™

Think2 System with E-Link™

ICR™ Internal Cable Routing

Drop in Bearing System 1" 1/8 - 1" 1/2

Italian thread BB

Seatclamp **TwinForce**

3XAir™ two positions available

FlatBack Profile

UCI Approved

RAD SYSTEM Disk brake

Front Axle 100x12mm Shimano®

Rear Axle 142x12mm Shimano®

Disk Flat Mount max 160mm

Max Tyre 700x25mm

915 Mars Orange

PINARELLO
Think Asymmetric



DOGMA F10 DISK

Carbon Torayca T1100 1K Dream Carbon
with Nanoalloy Technology

Asymmetric Frame

Fork ONDA F10 with ForkFlap™

Think2 System with E-Link™

ICR™ Internal Cable Routing

Drop in Bearing System 1" 1/8 - 1" 1/2

Italian thread BB

Seatclamp TwinForce

3XAir™ two positions available

FlatBack Profile

UCI Approved

RAD SYSTEM Disk brake

Front Axle 100x12mm Shimano®

Rear Axle 142x12mm Shimano®

Disk Flat Mount max 160mm

Max Tyre 700x25mm

916 Black Lava

PINARELLO
Think Asymmetric



DOGMA F10 DISK

Carbon Torayca T1100 1K Dream Carbon

with Nanoalloy Technology

Asymmetric Frame

Fork ONDA F10 with ForkFlap™

Think2 System with E-Link™

ICR™ Internal Cable Routing

Drop in Bearing System 1" 1/8 - 1" 1/2

Italian thread BB

Seatclamp TwinForce

3XAir™ two positions available

FlatBack Profile

UCI Approved

RAD SYSTEM Disk brake

Front Axle 100x12mm Shimano®

Rear Axle 142x12mm Shimano®

Disk Flat Mount max 160mm

Max Tyre 700x25mm

917 BoB

PINARELLO
ThinkAsymmetric



DOGMA F10 DISK

Carbon Torayca T1100 1K Dream Carbon

with Nanoalloy Technology

Asymmetric Frame

Fork ONDA F10 with ForkFlap™

Think2 System with E-Link™

ICR™ Internal Cable Routing

Drop in Bearing System 1" 1/8 - 1" 1/2

Italian thread BB

Seatclamp TwinForce

3XAir™ two positions available

FlatBack Profile

UCI Approved

RAD SYSTEM Disk brake

Front Axle 100x12mm Shimano®

Rear Axle 142x12mm Shimano®

Disk Flat Mount max 160mm

Max Tyre 700x25mm

918 Red Magma

PINARELLO
Think Asymmetric





DOGMA
F10
LIGHT

DOGMA
F10
LIGHT

Carbon Torayca T1100 UD Dream Carbon
with Nanoalloy Technology
Asymmetric Frame
Fork ONDA F10 with ForkFlap™
Think2 System with E-Link™
ICR™ Internal Cable Routing
Drop in Bearing System 1" 1/8 - 1" 1/2
Italian thread BB
Seatclamp TwinForce
3XAir™ two positions available
for the second bottle
FlatBack Profile
UCI Approved
Max Tyre 700x25mm

PINARELLO
ThinkAsymmetric

949 Team Sky



DOGMA
F10
LIGHT

Carbon Torayca T1100 UD Dream Carbon
with Nanoalloy Technology
Asymmetric Frame
Fork ONDA F10 with ForkFlap™
Think2 System with E-Link™
ICR™ Internal Cable Routing
Drop in Bearing System 1" 1/8 - 1" 1/2
Italian thread BB
Seatclamp TwinForce
3XAir™ two positions available
for the second bottle
FlatBack Profile
UCI Approved
Max Tyre 700x25mm

PINARELLO
Think Asymmetric

923 Red Lines



DOGMA
F10
LIGHT

Carbon Torayca T1100 UD Dream Carbon
with Nanoalloy Technology
Asymmetric Frame
Fork ONDA F10 with **ForkFlap™**
Think2 System with **E-Link™**
ICR™ Internal Cable Routing
Drop in Bearing System **1" 1/8 - 1" 1/2**
Italian thread BB
Seatclamp **TwinForce**
3XAir™ two positions available
for the second bottle
FlatBack Profile
UCI Approved
Max Tyre 700x25mm

PINARELLO
Think Asymmetric

925 Black Matt





**PRINCE
FX**

PRINCE FX

Carbon T900
Asymmetric Frame
Fork ONDA with **ForkFlap™**
Think2 System with **E-Link™**
ICR™ Internal Cable Routing
Drop in Bearing System **1" 1/8 - 1" 1/2**
Italian thread BB
Seatclamp **TwinForce**
3XAir™ two positions available
for the second bottle
FlatBack Profile
UCI Approved
Max Tyre 700x28mm

PINARELLO
ThinkAsymmetric

711 Gradient Vulcano





**PRINCE
FX**

PRINCE FX

Carbon T900
Asymmetric Frame
Fork ONDA with ForkFlap™
Think2 System with E-Link™
ICR™ Internal Cable Routing
Drop in Bearing System 1" 1/8 - 1" 1/2
Italian thread BB
Seatclamp TwinForce
3XAir™ two positions available
for the second bottle
FlatBack Profile
UCI Approved
Max Tyre 700x28mm

PINARELLO
ThinkAsymmetric

712 Gradient Fluorite





**PRINCE
FX**

PRINCE FX

Carbon T900
Asymmetric Frame
Fork ONDA with **ForkFlap™**
Think2 System with **E-Link™**
ICR™ Internal Cable Routing
Drop in Bearing System **1" 1/8 - 1" 1/2**
Italian thread BB
Seatclamp **TwinForce**
3XAir™ two positions available
for the second bottle
FlatBack Profile
UCI Approved
Max Tyre 700x28mm

PINARELLO
ThinkAsymmetric

713 Gradient Ametista



PRINCE FX

Carbon T900
Asymmetric Frame
Fork ONDA with **ForkFlap™**
Think2 System with **E-Link™**
ICR™ Internal Cable Routing
Drop in Bearing System **1" 1/8 - 1" 1/2**
Italian thread BB
Seatclamp **TwinForce**
3XAir™ two positions available
for the second bottle
FlatBack Profile
UCI Approved
Max Tyre 700x28mm

PINARELLO
ThinkAsymmetric

736 Gradient Kunzite
Available also sizes Easy Fit



PRINCE FX

Carbon T900
Asymmetric Frame
Fork ONDA with **ForkFlap™**
Think2 System with **E-Link™**
ICR™ Internal Cable Routing
Drop in Bearing System 1" 1/8 - 1" 1/2
Italian thread BB
Seatclamp TwinForce
3XAir™ two positions available
for the second bottle
FlatBack Profile
UCI Approved
Max Tyre 700x28mm

PINARELLO
ThinkAsymmetric

747 BoB Metal





PRINCE

PRINCE

Carbon T700
Asymmetric Frame
Fork ONDA with ForkFlap™
Think2 System with E-Link™
ICR™ Internal Cable Routing
Drop in Bearing System 1" 1/8 - 1" 1/2
Italian thread BB
Seatclamp **TwinForce**
3XAir™ two positions available
for the second bottle
FlatBack Profile
UCI Approved
Max Tyre 700x28mm

PINARELLO
ThinkAsymmetric

715 Carbon Red



PRINCE

Carbon T700
Asymmetric Frame
Fork ONDA with ForkFlap™
Think2 System with E-Link™
ICR™ Internal Cable Routing
Drop in Bearing System 1" 1/8 - 1" 1/2
Italian thread BB
Seatclamp **TwinForce**
3XAir™ two positions available
for the second bottle
FlatBack Profile
UCI Approved
Max Tyre 700x28mm

PINARELLO
ThinkAsymmetric

716 BoB



Carbon T700
Asymmetric Frame
Fork ONDA with ForkFlap™
Think2 System with E-Link™
ICR™ Internal Cable Routing
 Drop in Bearing System **1" 1/8 - 1" 1/2**
Italian thread BB
 Seatclamp **TwinForce**
3XAir™ two positions available
 for the second bottle
FlatBack Profile
UCI Approved
Max Tyre 700x28mm

717 White Orange



PRINCE

Carbon T700
Asymmetric Frame
Fork ONDA with ForkFlap™
Think2 System with E-Link™
ICR™ Internal Cable Routing
Drop in Bearing System **1" 1/8 - 1" 1/2**
Italian thread BB
Seatclamp **TwinForce**
3XAir™ two positions available
for the second bottle
FlatBack Profile
UCI Approved
Max Tyre 700x28mm

PINARELLO
ThinkAsymmetric

737 White Pink

Available also sizes Easy Fit





PRINCE
DISC

PRINCE DISK

Carbon T700
Asymmetric Frame
Fork ONDA with ForkFlap™
Think2 System with E-Link™
ICR™ Internal Cable Routing
Drop in Bearing System 1" 1/8 - 1" 1/2
Italian thread BB
Seatclamp TwinForce
3XAir™ two positions available
for the second bottle
FlatBack Profile
UCI Approved
RAD SYSTEM Disk brake
Front Axle 100x12mm Shimano®
Rear Axle 142x12mm Shimano®
Disk Flat Mount max 160mm
Max Tyre 700x28mm

720 Orange

PINARELLO
ThinkAsymmetric



PRINCE DISK

Carbon T700
Asymmetric Frame
Fork ONDA with ForkFlap™
Think2 System with E-Link™
ICR™ Internal Cable Routing
Drop in Bearing System 1" 1/8 - 1" 1/2
Italian thread BB
Seatclamp TwinForce
3XAir™ two positions available
for the second bottle
FlatBack Profile
UCI Approved
RAD SYSTEM Disk brake
Front Axle 100x12mm Shimano®
Rear Axle 142x12mm Shimano®
Disk Flat Mount max 160mm
Max Tyre 700x28mm

718 Carbon Red

PINARELLO
ThinkAsymmetric



PRINCE DISK

Carbon T700
Asymmetric Frame
Fork ONDA with ForkFlap™
Think2 System with E-Link™
ICR™ Internal Cable Routing
Drop in Bearing System 1" 1/8 - 1" 1/2
Italian thread BB
Seatclamp TwinForce
3XAir™ two positions available
for the second bottle
FlatBack Profile
UCI Approved
RAD SYSTEM Disk brake
Front Axle 100x12mm Shimano®
Rear Axle 142x12mm Shimano®
Disk Flat Mount max 160mm
Max Tyre 700x28mm

719 BoB

PINARELLO
Think Asymmetric





PRINCE
DISK

PRINCE DISK

Carbon T700
Asymmetric Frame
Fork ONDA with **ForkFlap™**
Think2 System with **E-Link™**
ICR™ Internal Cable Routing
Drop in Bearing System 1" 1/8 - 1"1/2
Italian thread BB
Seatclamp **TwinForce**
3XAir™ two positions available
for the second bottle
FlatBack Profile
UCI Approved
RAD SYSTEM Disk brake
Front Axle 100x12mm Shimano®
Rear Axle 142x12mm Shimano®
Disk Flat Mount max 160mm
Max Tyre 700x28mm

741 Pink

Available only sizes Easy Fit

PINARELLO
ThinkAsymmetric





ADI
COMPASSO D'ORO
INTERNATIONAL
AWARD



BOLIDE II

BOLIDE^{TT} **PINARELLO**

Carbon T1100
with NANOALLOY Technology

Time Trial BIKE
Asymmetric Frame
Drop in Bearing System 1" 1/8 - 1" 1/4
Italian BB
Front Axle Quick Release 100mm
Rear Axle Quick Release 135mm
Max Tires 700x23
Seatpost Aero with Aero Rear Clamp
UCI Approved

PINARELLO
Think Asymmetric

899 Team SKY



BOLIDE HR **PINARELLO**


Carbon T1100 1K
with NANOALLOY Technology


Track BIKE
Asymmetric Frame
Drop in Bearing System 1" 1/8 - 1" 1/4
Italian BB
Axles Bolt-ON
Max Tires 700x23
Seatpost Aero with Aero Rear Clamp
UCI Approved

PINARELLO
Think Asymmetric

866 White - Blue - Red / shiny







DOGMA F10 / DOGMA XLIGHT / DOGMA F10 Disk

CF	CC	L	I	A [°]	B [°]	F	P	T	D	R	G	REACH	STACK
415	420**	498	113	74.40°	69.15°	564	406	105	67	43	367	351	493
435	440	503	118	74.40°	70.00°	564	406	110	67	43	367	357	501
455	465	515	125	74.40°	70.50°	573	406	115	72	43	367	367	512
455	470**	525	128	74.00°	71.40°	575	406	125	72	43	367	373	525
480	500	525	138	74.00°	71.40°	575	406	120	72	43	367	374	520
495	515	535	145	73.70°	72.00°	577	406	125	72	43	367	380	527
510	530	545	149	73.70°	72.50°	583	406	139	72	43	367	386	542
520	540	550	154	73.40°	72.80°	583	406	147	72	43	367	386	550
530	550	557	157	73.40°	72.80°	590	408	158	72	43	367	389	561
540	560	565	164	73.00°	73.20°	591	408	165	72	43	367	391	569
555	575	575	168	73.00°	73.70°	596	408	179	72	43	367	397	584
575	595	587	180	72.40°	73.40°	605	408	215	67	43	367	394	612
615	620*	620	192	72.00°	73.40°	633	411	255	67	43	367	410	651

* DOGMA F10 Xlight NOT AVAILABLE IN 620 SIZE

**DOGMA F10 DISK NOT AVAILABLE IN 420-470 SIZES

PRINCE FX / PRINCE /PRINCE DISK /GAN /GAN DISK

CF	CC	L	I	A [°]	B [°]	F	P	T	D	R	G	REACH	STACK
435	440	503	118	74,40	70,00	565	408	115	67	43	367	354	506
460	465	515	124	74,40	70,50	575	408	120	67	43	367	367	513
495	500	525	138	74,00	71,40	575	408	125	72	43	367	372	525
510	515	535	145	73,70	72,00	577,5	408	130	72	43	367	378	532
525	530	545	149	73,70	72,50	583	408	139	72	43	367	386	543
535	540	550	154	73,40	72,80	583	408	152	72	43	367	384	556
545	550	557	157	73,40	72,80	590	408	163	72	43	367	387	567
555	560	565	163	73,00	73,20	591	410	170	72	43	367	390	575
570	575	575	168	73,00	73,70	596	410	184	72	43	367	395	590
590	595	587	180	72,40	73,40	605	410	210	67	43	367	395	609
615	620	620	192	72,00	73,40	633	411	255	67	43	367	410	651

PRINCE FX EASY FIT / PRINCE EASY FIT / PRINCE DISK EASY FIT / GAN EASY FIT / GAN DISK EASY FIT

CF	CC	L	I	A [°]	B [°]	F	P	T	D	R	G	REACH	STACK
440	425	500	117	74,00	70,00	563	408	115	67	50	367	348	504
475	460	512	127	74,00	71,00	570	408	130	67	50	367	358	522
505	490	528	139	73,50	72,00	575	408	145	72	50	367	365	544
525	510	545	149	73,00	72,00	588	408	155	72	50	367	374	554

BOLIDE HR

CF	CC	L	I	A [°]	B [°]	F	P	T	D	R	G	REACH	STACK
514	450	488	101	77,00	72,00	557	385	74	62	43	368,5	377	469
539	525	514	118	77,00	73,00	582	385	94	62	43	368,5	402	492
554	550	545	123	77,00	73,00	614	385	110	62	43	368,5	430	508

BOLIDE TT

CF	CC	L	I	A [°]	B [°]	F	P	T	D	R	G	REACH	STACK
472	450	488	101	77,00	72,00	559	395	70	57	43	368,5	380	461
492	485	507	109	77,00	72,50	576	395	82	62	43	368,5	396	479
508	520	526	117	77,00	73,00	593	395	96	62	43	368,5	413	494
521	550	545	124	77,00	73,00	614	395	110	62	43	368,5	430	507

2019 Tech Features

MODEL	MATERIAL	DISCIPLINE	UCI LABEL	ASYM SYSTEM	BRAKE	BOTTOM BRACKET	HEADSET	CABLE ROUTING	AXLES	SUSPENSION
DOGMA F10 Xlight	Carbon T1100 UD Torayca	ROAD RACING	YES	YES	RIM standard	ITALIAN Thread	Drop In (Upper 1-1/8 - Lower 1-1/2)	Think 2	Quick Release	NO
DOGMA F10	Carbon T1100 1K Torayca	ROAD RACING	YES	YES	RIM standard	ITALIAN Thread	Drop In (Upper 1-1/8 - Lower 1-1/2)	Think 2	Quick Release	NO
DOGMA F10 Disk	Carbon T1100 1k Torayca®	ROAD RACING	YES	YES	DISK Flat Mount	ITALIAN Thread	Drop In (Upper 1-1/8 - Lower 1-1/2)	Think2	Thru Axle	NO
PRINCE FX	Carbon T900	ROAD RACING	YES	YES	RIM standard	ITALIAN Thread	Drop In (Upper 1-1/8 - Lower 1-1/2)	Think2	Quick Release	NO
PRINCE	Carbon T700	ROAD RACING	YES	YES	RIM standard	ITALIAN Thread	Drop In (Upper 1-1/8 - Lower 1-1/2)	Think2	Quick Release	NO
PRINCE Disk	Carbon T700	ROAD RACING	YES	YES	DISK Flat Mount	ITALIAN Thread	Drop In (Upper 1-1/8 - Lower 1-1/2)	Think2	Thru Axle	NO

MODEL	MATERIAL	DISCIPLINE	UCI LABEL	ASYM SYSTEM	BRAKE	BOTTOM BRACKET	HEADSET	CABLE ROUTING	AXLES	SUSPENSION
BOLIDE HR	Carbon T1100 1k Torayca®	TRACK	YES	YES	NO BRAKE	ITALIAN Thread	Drop In (Upper 1-1/8 - Lower 1-1/4)	NO CABLE	BOLT ON	NO
BOLIDE TT	Carbon T1100 Torayca®	TIME TRIAL	YES	YES	RIM Pinarello Bolide	ITALIAN Thread	Drop In (Upper 1-1/8 - Lower 1-1/4)	Think2	Quick Release	NO



PINARELLO
Think Asymmetric

Viale della Repubblica 12
31020 Villorba (TV) Italia
Tel. +39 0422 420877
infobike@pinarello.com
pinarello.com