



 **WORK  
BOOK  
20  
20**



#endofdiscussion  
(again)



MOSI

MOSI



DOGMA  
**F12**  
PINARELLO



# DOGMA F12 DISK

**PINARELLO**  
Think Asymmetric

## Carbon Torayca T1100 1K Dream Carbon

with Nanoalloy Technology

- Asymmetric Frame
- Fork ONDA F12 with ForkFlap™
- TICR™ Total Internal Cable Routing
- E-Link™
- Drop in Bearing System 1" 1/2 - 1" 1/2
- Italian thread BB
- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- UCI Approved
- RAD SYSTEM Disk brake
- Front Axle 100x12mm Shimano®
- Rear Axle 142x12mm Shimano®
- Disk Flat Mount max 160mm
- Max Tire 700x28mm

432 URANUS BLACK RED



**DOGMA**  
**F12**

**PINARELLO**  
Think Asymmetric

**Carbon Torayca T1100 1K Dream Carbon**  
with Nanoalloy Technology

- **Asymmetric Frame**
- **Fork ONDA F12 with ForkFlap™**
- **E-Link™**
- **TICR™** Total Internal Cable Routing
- **Drop in Bearing System 1" 1/2 - 1"1/2**
- **Italian thread BB**
- **Seatclamp TwinForce**
- **3XAir™** two positions available for the second bottle
- **FlatBack Profile**
- **Direct Mount Brake system**
- **UCI Approved**
- **Max Tyre 700x28mm**

**429 URANUS BLACK/RED**



# DOGMA F12 DISK

**PINARELLO**  
Think Asymmetric

## Carbon Torayca T1100 1K Dream Carbon

with Nanoalloy Technology

- Asymmetric Frame
- Fork ONDA F12 with ForkFlap™
- TICR™ Total Internal Cable Routing
- E-Link™
- Drop in Bearing System 1" 1/2 - 1" 1/2
- Italian thread BB
- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- UCI Approved
- RAD SYSTEM Disk brake
- Front Axle 100x12mm Shimano®
- Rear Axle 142x12mm Shimano®
- Disk Flat Mount max 160mm
- Max Tire 700x28mm

431 GALAXY BLUE





**DOGMA**  
**F12**

**PINARELLO**  
Think Asymmetric

**Carbon Torayca T1100 1K Dream Carbon**  
with Nanoalloy Technology

- **Asymmetric Frame**
- **Fork ONDA F12 with ForkFlap™**
- **E-Link™**
- **TICR™** Total Internal Cable Routing
- **Drop in Bearing System 1" 1/2 - 1" 1/2**
- **Italian thread BB**
- **Seatclamp TwinForce**
- **3XAir™** two positions available for the second bottle
- **FlatBack Profile**
- **Direct Mount Brake system**
- **UCI Approved**
- **Max Tyre 700x28mm**

**428 GALAXY BLUE**



# DOGMA F12 DISK

**PINARELLO**  
Think Asymmetric

## Carbon Torayca T1100 1K Dream Carbon

with Nanoalloy Technology

- Asymmetric Frame
- Fork ONDA F12 with ForkFlap™
- TICR™ Total Internal Cable Routing
- E-Link™
- Drop in Bearing System 1" 1/2 - 1" 1/2
- Italian thread BB
- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- UCI Approved
- RAD SYSTEM Disk brake
- Front Axle 100x12mm Shimano®
- Rear Axle 142x12mm Shimano®
- Disk Flat Mount max 160mm
- Max Tire 700x28mm

441 METEOR RED





**DOGMA**  
**F12**

**PINARELLO**  
Think Asymmetric

**Carbon Torayca T1100 1K Dream Carbon**  
with Nanoalloy Technology

- **Asymmetric Frame**
- **Fork ONDA F12 with ForkFlap™**
- **E-Link™**
- **TICR™** Total Internal Cable Routing
- **Drop in Bearing System 1" 1/2 - 1" 1/2**
- **Italian thread BB**
- **Seatclamp TwinForce**
- **3XAir™** two positions available for the second bottle
- **FlatBack Profile**
- **Direct Mount Brake system**
- **UCI Approved**
- **Max Tyre 700x28mm**

**437 METEOR RED**



# DOGMA F12 DISK

**PINARELLO**  
Think Asymmetric

## Carbon Torayca T1100 1K Dream Carbon

with Nanoalloy Technology

- Asymmetric Frame
- Fork ONDA F12 with ForkFlap™
- TICTR™ Total Internal Cable Routing
- E-Link™
- Drop in Bearing System 1" 1/2 - 1" 1/2
- Italian thread BB
- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- UCI Approved
- RAD SYSTEM Disk brake
- Front Axle 100x12mm Shimano®
- Rear Axle 142x12mm Shimano®
- Disk Flat Mount max 160mm
- Max Tire 700x28mm

442 VENUS ORANGE



# DOGMA F12

PINARELLO  
Think Asymmetric

Carbon Torayca T1100 1K Dream Carbon  
with Nanoalloy Technology

- Asymmetric Frame
- Fork ONDA F12 with ForkFlap™
- E-Link™
- TIGR™ Total Internal Cable Routing
- Drop in Bearing System 1" 1/2 - 1" 1/2
- Italian thread BB
- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- Direct Mount Brake system
- UCI Approved
- Max Tyre 700x28mm

438 VENUS ORANGE





# DOGMA F12 DISK

**PINARELLO**  
Think Asymmetric

## Carbon Torayca T1100 1K Dream Carbon

with Nanoalloy Technology

- Asymmetric Frame
- Fork ONDA F12 with ForkFlap™
- TICR™ Total Internal Cable Routing
- E-Link™
- Drop in Bearing System 1" 1/2 - 1" 1/2
- Italian thread BB
- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- UCI Approved
- RAD SYSTEM Disk brake
- Front Axle 100x12mm Shimano®
- Rear Axle 142x12mm Shimano®
- Disk Flat Mount max 160mm
- Max Tire 700x28mm

436 OSIUM WHITE



**DOGMA**  
**F12**

**PINARELLO**  
Think Asymmetric

**Carbon Torayca T1100 1K Dream Carbon**  
with Nanoalloy Technology

- **Asymmetric Frame**
- **Fork ONDA F12 with ForkFlap™**
- **E-Link™**
- **TICR™** Total Internal Cable Routing
- **Drop in Bearing System 1" 1/2 - 1" 1/2**
- **Italian thread BB**
- **Seatclamp TwinForce**
- **3XAir™** two positions available for the second bottle
- **FlatBack Profile**
- **Direct Mount Brake system**
- **UCI Approved**
- **Max Tyre 700x28mm**

**435 OSIUM WHITE**



# DOGMA F12 DISK

**PINARELLO**  
Think Asymmetric

## Carbon Torayca T1100 1K Dream Carbon

with Nanoalloy Technology

- Asymmetric Frame
- Fork ONDA F12 with ForkFlap™
- TICR™ Total Internal Cable Routing
- E-Link™
- Drop in Bearing System 1" 1/2 - 1" 1/2
- Italian thread BB
- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- UCI Approved
- RAD SYSTEM Disk brake
- Front Axle 100x12mm Shimano®
- Rear Axle 142x12mm Shimano®
- Disk Flat Mount max 160mm
- Max Tire 700x28mm

443 VERTIGO BLUE





# DOGMA F12

PINARELLO  
Think Asymmetric

Carbon Torayca T1100 1K Dream Carbon  
with Nanoalloy Technology

- Asymmetric Frame
- Fork ONDA F12 with ForkFlap™
- E-Link™
- TIGR™ Total Internal Cable Routing
- Drop in Bearing System 1" 1/2 - 1" 1/2
- Italian thread BB
- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- Direct Mount Brake system
- UCI Approved
- Max Tyre 700x28mm

439 VERTIGO BLUE



# DOGMA F12 DISK

PINARELLO  
Think Asymmetric

## Carbon Torayca T1100 1K Dream Carbon

with Nanoalloy Technology

- Asymmetric Frame
- Fork ONDA F12 with ForkFlap™
- TICR™ Total Internal Cable Routing
- E-Link™
- Drop in Bearing System 1" 1/2 - 1" 1/2
- Italian thread BB
- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- UCI Approved
- RAD SYSTEM Disk brake
- Front Axle 100x12mm Shimano®
- Rear Axle 142x12mm Shimano®
- Disk Flat Mount max 160mm
- Max Tire 700x28mm

430 BOB



**DOGMA**  
**F12**

**PINARELLO**  
Think Asymmetric

**Carbon Torayca T1100 1K Dream Carbon**  
with Nanoalloy Technology

- **Asymmetric Frame**
- **Fork ONDA F12 with ForkFlap™**
- **E-Link™**
- **TICR™** Total Internal Cable Routing
- **Drop in Bearing System 1" 1/2 - 1"1/2**
- **Italian thread BB**
- **Seatclamp TwinForce**
- **3XAir™** two positions available for the second bottle
- **FlatBack Profile**
- **Direct Mount Brake system**
- **UCI Approved**
- **Max Tyre 700x28mm**

427 BOB







**TEAM**INEOS

# DOGMA F12 DISK

PINARELLO  
Think Asymmetric

## Carbon Torayca T1100 1K Dream Carbon

with Nanoalloy Technology

- Asymmetric Frame
- Fork ONDA F12 with ForkFlap™
- TICTR™ Total Internal Cable Routing
- E-Link™
- Drop in Bearing System 1" 1/2 - 1" 1/2
- Italian thread BB
- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- UCI Approved
- RAD SYSTEM Disk brake
- Front Axle 100x12mm Shimano®
- Rear Axle 142x12mm Shimano®
- Disk Flat Mount max 160mm
- Max Tire 700x28mm

15 TEAM INEOS



# DOGMA F12

PINARELLO  
Think Asymmetric

Carbon Torayca T1100 1K Dream Carbon  
with Nanoalloy Technology

- Asymmetric Frame
- Fork ONDA F12 with ForkFlap™
- E-Link™
- TIGR™ Total Internal Cable Routing
- Drop in Bearing System 1" 1/2 - 1" 1/2
- Italian thread BB
- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- Direct Mount Brake system
- UCI Approved
- Max Tyre 700x28mm

14 TEAM INEOS





# DOGMA F12 DISK

**PINARELLO**  
Think Asymmetric

## Carbon Torayca T1100 1K Dream Carbon

with Nanoalloy Technology

- Asymmetric Frame
- Fork ONDA F12 with ForkFlap™
- TICR™ Total Internal Cable Routing
- E-Link™
- Drop in Bearing System 1" 1/2 - 1" 1/2
- Italian thread BB
- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- UCI Approved
- RAD SYSTEM Disk brake
- Front Axle 100x12mm Shimano®
- Rear Axle 142x12mm Shimano®
- Disk Flat Mount max 160mm
- Max Tire 700x28mm

444 BLACK MATT



# DOGMA F12

PINARELLO  
Think Asymmetric

Carbon Torayca T1100 1K Dream Carbon  
with Nanoalloy Technology

- Asymmetric Frame
- Fork ONDA F12 with ForkFlap™
- E-Link™
- TICC™ Total Internal Cable Routing
- Drop in Bearing System 1" 1/2 - 1"1/2
- Italian thread BB
- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- Direct Mount Brake system
- UCI Approved
- Max Tyre 700x28mm

440 BLACK MATT



# DOGMA F12 XLIGHT DISK

PINARELLO  
Think Asymmetric

## Carbon Torayca T1100 UD Dream Carbon

with Nanoalloy Technology

- Asymmetric Frame
- Fork ONDA F12 with ForkFlap™
- TIGR™ Total Internal Cable Routing
- E-Link™
- Drop in Bearing System 1" 1/2 - 1" 1/2
- Italian thread BB
- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- UCI Approved
- RAD SYSTEM Disk brake
- Front Axle 100x12mm Shimano®
- Rear Axle 142x12mm Shimano®
- Disk Flat Mount max 160mm
- Max Tire 700x28mm

455 TEAM INEOS





# DOGMA F12 XLIGHT

PINARELLO  
Think Asymmetric

Carbon Torayca T1100 UD Dream Carbon  
with Nanoalloy Technology

- Asymmetric Frame
- Fork ONDA F12 with ForkFlap™
- E-Link™
- TIGR™ Total Internal Cable Routing
- Drop in Bearing System 1" 1/2 - 1" 1/2
- Italian thread BB
- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- Direct Mount Brake system
- UCI Approved
- Max Tyre 700x28mm

453 TEAM INEOS



# DOGMA F12 XLIGHT DISK

PINARELLO  
Think Asymmetric

## Carbon Torayca T1100 UD Dream Carbon

with Nanoalloy Technology

- Asymmetric Frame
- Fork ONDA F12 with ForkFlap™
- TIGR™ Total Internal Cable Routing
- E-Link™
- Drop in Bearing System 1" 1/2 - 1" 1/2
- Italian thread BB
- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- UCI Approved
- RAD SYSTEM Disk brake
- Front Axle 100x12mm Shimano®
- Rear Axle 142x12mm Shimano®
- Disk Flat Mount max 160mm
- Max Tire 700x28mm

470 BLACK MATT



# DOGMA F12 XLIGHT

PINARELLO  
Think Asymmetric

Carbon Torayca T1100 UD Dream Carbon  
with Nanoalloy Technology

- Asymmetric Frame
- Fork ONDA F12 with ForkFlap™
- E-Link™
- TCR™ Total Internal Cable Routing
- Drop in Bearing System 1" 1/2 - 1" 1/2
- Italian thread BB
- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- Direct Mount Brake system
- UCI Approved
- Max Tyre 700x28mm

465 BLACK MATT







# TALON ULTRA

FULL INTERNAL CABLE ROUTING

- **Drop:** 125mm
- **Reach:** 80mm
- **Outward Bending:** 4°
- **Weight:** 390g
- **Cable Routing:** Full internal

Compatible only with Pinarello Dogma F12



PINARELLO  
ThinkAsymmetric



# iTALON ULTRA

- **Material:** Al6061 Forged
- **Weight:** 42g con supporto Garmin
- **Supports:** Garmin, Wahoo e Polar (interchangeable)
- **Accessories:** The Bracket for action camera and MOST Lights



# LYNX NS

- **Weight:** 150g
- **Rail:** CarboKeramic Ø7x9 mm
- **Shell:** Carbon reinforced
- **Dimensions:** 145x245mm
- **Padding:** Schiuma + Finitura Premium
- **idMATCH:** SuperFlow L3
- **Category:** Racing

**PINARELLO**  
Think Asymmetric





**DOGMA  
F10**



# DOGMA F10

PINARELLO  
Think Asymmetric

Carbon Torayca T1100 1K Dream Carbon  
with Nanoalloy Technology

- Asymmetric Frame
- Fork ONDA F10 with ForkFlap™
- Think2 System with E-Link™
- ICR™ Internal Cable Routing
- Drop in Bearing System 1" 1/8 - 1" 1/2
- Italian thread BB
- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- UCI Approved
- Max Tyre 700x25mm

199 VULCANO



# DOGMA F10

PINARELLO  
Think Asymmetric

Carbon Torayca T1100 1K Dream Carbon  
with Nanoalloy Technology

- Asymmetric Frame
- Fork ONDA F10 with ForkFlap™
- Think2 System with E-Link™
- ICR™ Internal Cable Routing
- Drop in Bearing System 1" 1/8 - 1" 1/2
- Italian thread BB
- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- UCI Approved
- Max Tyre 700x25mm

200 BOB



# DOGMA F10

PINARELLO  
ThinkAsymmetric

Carbon Torayca T1100 1K Dream Carbon  
with Nanoalloy Technology

- Asymmetric Frame
- Fork ONDA F10 with ForkFlap™
- Think2 System with E-Link™
- ICR™ Internal Cable Routing
- Drop in Bearing System 1" 1/8 - 1" 1/2
- Italian thread BB
- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- UCI Approved
- Max Tyre 700x25mm

202 AMBRA





# DOGMA F10

PINARELLO  
Think Asymmetric

Carbon Torayca T1100 1K Dream Carbon  
with Nanoalloy Technology

- Asymmetric Frame
- Fork ONDA F10 with ForkFlap™
- Think2 System with E-Link™
- ICR™ Internal Cable Routing
- Drop in Bearing System 1" 1/8 - 1" 1/2
- Italian thread BB
- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- UCI Approved
- Max Tyre 700x25mm

204 DIAMOND



# DOGMA F10

PINARELLO  
Think Asymmetric

Carbon Torayca T1100 1K Dream Carbon  
with Nanoalloy Technology

- Asymmetric Frame
- Fork ONDA F10 with ForkFlap™
- Think2 System with E-Link™
- ICR™ Internal Cable Routing
- Drop in Bearing System 1" 1/8 - 1" 1/2
- Italian thread BB
- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- UCI Approved
- Max Tyre 700x25mm

205 AMETISTA



# DOGMA F10

PINARELLO  
Think Asymmetric

Carbon Torayca T1100 1K Dream Carbon  
with Nanoalloy Technology

- Asymmetric Frame
- Fork ONDA F10 with ForkFlap™
- Think2 System with E-Link™
- ICR™ Internal Cable Routing
- Drop in Bearing System 1" 1/8 - 1" 1/2
- Italian thread BB
- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- UCI Approved
- Max Tyre 700x25mm

206 DIAMOND BLUE





# DOGMA F10 DISK

**PINARELLO**  
Think Asymmetric

## Carbon Torayca T1100 1K Dream Carbon

with Nanoalloy Technology

- Asymmetric Frame
- Fork ONDA F10 with ForkFlap™
- Think2 System with E-Link™
- ICR™ Internal Cable Routing
- Drop in Bearing System 1" 1/8 - 1" 1/2
- Italian thread BB
- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- UCI Approved
- RAD SYSTEM Disk brake
- Front Axle 100x12mm Shimano®
- Rear Axle 142x12mm Shimano®
- Disk Flat Mount max 160mm
- Max Tyre 700x25mm

214 DIAMOND BLUE



# DOGMA F10 DISK

**PINARELLO**  
Think Asymmetric

## Carbon Torayca T1100 1K Dream Carbon

with Nanoalloy Technology

- Asymmetric Frame
- Fork ONDA F10 with ForkFlap™
- Think2 System with E-Link™
- ICR™ Internal Cable Routing
- Drop in Bearing System 1" 1/8 - 1" 1/2
- Italian thread BB
- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- UCI Approved
- RAD SYSTEM Disk brake
- Front Axle 100x12mm Shimano®
- Rear Axle 142x12mm Shimano®
- Disk Flat Mount max 160mm
- Max Tyre 700x25mm

209 VULCANO



# DOGMA F10 DISK

PINARELLO  
Think Asymmetric

## Carbon Torayca T1100 1K Dream Carbon

with Nanoalloy Technology

- Asymmetric Frame
- Fork ONDA F10 with ForkFlap™
- Think2 System with E-Link™
- ICR™ Internal Cable Routing
- Drop in Bearing System 1" 1/8 – 1" 1/2
- Italian thread BB
- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- UCI Approved
- RAD SYSTEM Disk brake
- Front Axle 100x12mm Shimano®
- Rear Axle 142x12mm Shimano®
- Disk Flat Mount max 160mm
- Max Tyre 700x25mm

211 AMBRA





# DOGMA F10 DISK

PINARELLO  
Think Asymmetric

## Carbon Torayca T1100 1K Dream Carbon

with Nanoalloy Technology

- Asymmetric Frame
- Fork ONDA F10 with ForkFlap™
- Think2 System with E-Link™
- ICR™ Internal Cable Routing
- Drop in Bearing System 1" 1/8 - 1" 1/2
- Italian thread BB
- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- UCI Approved
- RAD SYSTEM Disk brake
- Front Axle 100x12mm Shimano®
- Rear Axle 142x12mm Shimano®
- Disk Flat Mount max 160mm
- Max Tyre 700x25mm

212 DIAMOND



# DOGMA F10 DISK

PINARELLO  
Think Asymmetric

## Carbon Torayca T1100 1K Dream Carbon

with Nanoalloy Technology

- Asymmetric Frame
- Fork ONDA F10 with ForkFlap™
- Think2 System with E-Link™
- ICR™ Internal Cable Routing
- Drop in Bearing System 1" 1/8 - 1" 1/2
- Italian thread BB
- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- UCI Approved
- RAD SYSTEM Disk brake
- Front Axle 100x12mm Shimano®
- Rear Axle 142x12mm Shimano®
- Disk Flat Mount max 160mm
- Max Tyre 700x25mm

213 AMETISTA



# DOGMA F10 DISK

PINARELLO  
Think Asymmetric

## Carbon Torayca T1100 1K Dream Carbon

with Nanoalloy Technology

- Asymmetric Frame
- Fork ONDA F10 with ForkFlap™
- Think2 System with E-Link™
- ICR™ Internal Cable Routing
- Drop in Bearing System 1" 1/8 - 1" 1/2
- Italian thread BB
- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- UCI Approved
- RAD SYSTEM Disk brake
- Front Axle 100x12mm Shimano®
- Rear Axle 142x12mm Shimano®
- Disk Flat Mount max 160mm
- Max Tyre 700x25mm

948 BOB







# PRINCE FX DISK

PINARELLO  
Think Asymmetric

## Carbon T900

- Asymmetric Frame
- Fork ONDA with ForkFlap™
- Think2 System with E-Link™
- ICR™ Internal Cable Routing
- Drop in Bearing System 1" 1/8 - 1" 1/2
- Italian thread BB
- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- UCI Approved
- RAD SYSTEM Disk brake
- Front Axle 100x12mm Shimano®
- Rear Axle 142x12mm Shimano®
- Disk Flat Mount max 160mm
- Max Tyre 700x28mm

## 260 SILVER TURQUOISE



# PRINCE FX DISK

**PINARELLO**  
Think Asymmetric

## Carbon T900

- Asymmetric Frame
- Fork ONDA with ForkFlap™
- Think2 System with E-Link™
- ICR™ Internal Cable Routing
- Drop in Bearing System 1" 1/8 - 1" 1/2
- Italian thread BB
- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- UCI Approved
- RAD SYSTEM Disk brake
- Front Axle 100x12mm Shimano®
- Rear Axle 142x12mm Shimano®
- Disk Flat Mount max 160mm
- Max Tyre 700x28mm

254 ORANGE





# PRINCE FX DISK

PINARELLO  
Think Asymmetric

## Carbon T900

- Asymmetric Frame
- Fork ONDA with ForkFlap™
- Think2 System with E-Link™
- ICR™ Internal Cable Routing
- Drop in Bearing System 1" 1/8 - 1" 1/2
- Italian thread BB
- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- UCI Approved
- RAD SYSTEM Disk brake
- Front Axle 100x12mm Shimano®
- Rear Axle 142x12mm Shimano®
- Disk Flat Mount max 160mm
- Max Tyre 700x28mm

263 WHITE AMETISTA



# PRINCE FX DISK

**PINARELLO**  
Think Asymmetric

## Carbon T900

- Asymmetric Frame
- Fork ONDA with ForkFlap™
- Think2 System with E-Link™
- ICR™ Internal Cable Routing
- Drop in Bearing System 1" 1/8 - 1" 1/2
- Italian thread BB
- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- UCI Approved
- RAD SYSTEM Disk brake
- Front Axle 100x12mm Shimano®
- Rear Axle 142x12mm Shimano®
- Disk Flat Mount max 160mm
- Max Tyre 700x28mm

266 RED



# PRINCE FX DISK

PINARELLO  
Think Asymmetric

## Carbon T900

- Asymmetric Frame
- Fork ONDA with ForkFlap™
- Think2 System with E-Link™
- ICR™ Internal Cable Routing
- Drop in Bearing System 1" 1/8 - 1" 1/2
- Italian thread BB
- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- UCI Approved
- RAD SYSTEM Disk brake
- Front Axle 100x12mm Shimano®
- Rear Axle 142x12mm Shimano®
- Disk Flat Mount max 160mm
- Max Tyre 700x28mm

267 BOB





# PRINCE FX DISK

PINARELLO  
Think Asymmetric

## Carbon T900

- Asymmetric Frame
- Fork ONDA with ForkFlap™
- Think2 System with E-Link™
- ICR™ Internal Cable Routing
- Drop in Bearing System 1" 1/8 - 1" 1/2
- Italian thread BB
- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- UCI Approved
- RAD SYSTEM Disk brake
- Front Axle 100x12mm Shimano®
- Rear Axle 142x12mm Shimano®
- Disk Flat Mount max 160mm
- Max Tyre 700x28mm

269 WHITE PINK  
AVAILABLE ONLY SIZES EASY FIT



# PRINCE FX

PINARELLO  
Think Asymmetric

## Carbon T900

- Asymmetric Frame
- Fork ONDA with ForkFlap™
- Think2 System with E-Link™
- ICR™ Internal Cable Routing
- Drop in Bearing System 1" 1/8 - 1" 1/2
- Italian thread BB
- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- UCI Approved
- Max Tyre 700x28mm

257 ORANGE



# PRINCE FX

PINARELLO  
Think Asymmetric

## Carbon T900

- Asymmetric Frame
- Fork ONDA with ForkFlap™
- Think2 System with E-Link™
- ICR™ Internal Cable Routing
- Drop in Bearing System 1" 1/8 - 1" 1/2
- Italian thread BB
- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- UCI Approved
- Max Tyre 700x28mm

## 261 SILVER TURQUOISE





# PRINCE FX

PINARELLO  
Think Asymmetric

## Carbon T900

- Asymmetric Frame
- Fork ONDA with ForkFlap™
- Think2 System with E-Link™
- ICR™ Internal Cable Routing
- Drop in Bearing System 1" 1/8 - 1" 1/2
- Italian thread BB
- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- UCI Approved
- Max Tyre 700x28mm

## 262 WHITE AMETISTA



# PRINCE FX

PINARELLO  
Think Asymmetric

## Carbon T900

- Asymmetric Frame
- Fork ONDA with ForkFlap™
- Think2 System with E-Link™
- ICR™ Internal Cable Routing
- Drop in Bearing System 1" 1/8 - 1" 1/2
- Italian thread BB
- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- UCI Approved
- Max Tyre 700x28mm

264 BOB



# PRINCE FX

PINARELLO  
Think Asymmetric

## Carbon T900

- Asymmetric Frame
- Fork ONDA with ForkFlap™
- Think2 System with E-Link™
- ICR™ Internal Cable Routing
- Drop in Bearing System 1" 1/8 - 1" 1/2
- Italian thread BB
- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- UCI Approved
- Max Tyre 700x28mm

265 RED





# PRINCE FX

PINARELLO  
Think Asymmetric

## Carbon T900

- Asymmetric Frame
- Fork ONDA with ForkFlap™
- Think2 System with E-Link™
- ICR™ Internal Cable Routing
- Drop in Bearing System 1" 1/8 - 1" 1/2
- Italian thread BB
- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- UCI Approved
- Max Tyre 700x28mm

273 WHITE PINK  
AVAILABLE ONLY SIZES EASY FIT



# PRINCE DISK

PINARELLO  
Think Asymmetric

## Carbon T700

- Asymmetric Frame
- Fork ONDA with ForkFlap™
- Think2 System with E-Link™
- ICR™ Internal Cable Routing
- Drop in Bearing System 1" 1/8 - 1" 1/2
- Italian thread BB
- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- UCI Approved
- RAD SYSTEM Disk brake
- Front Axle 100x12mm Shimano®
- Rear Axle 142x12mm Shimano®
- Disk Flat Mount max 160mm
- Max Tyre 700x28mm

## 253 ORANGE



# PRINCE DISK

PINARELLO  
Think Asymmetric

## Carbon T700

- Asymmetric Frame
- Fork ONDA with ForkFlap™
- Think2 System with E-Link™
- ICR™ Internal Cable Routing
- Drop in Bearing System 1" 1/8 - 1" 1/2
- Italian thread BB
- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- UCI Approved
- RAD SYSTEM Disk brake
- Front Axle 100x12mm Shimano®
- Rear Axle 142x12mm Shimano®
- Disk Flat Mount max 160mm
- Max Tyre 700x28mm

274 BLACK RED





# PRINCE DISK

PINARELLO  
Think Asymmetric

## Carbon T700

- Asymmetric Frame
- Fork ONDA with ForkFlap™
- Think2 System with E-Link™
- ICR™ Internal Cable Routing
- Drop in Bearing System 1" 1/8 - 1" 1/2
- Italian thread BB
- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- UCI Approved
- RAD SYSTEM Disk brake
- Front Axle 100x12mm Shimano®
- Rear Axle 142x12mm Shimano®
- Disk Flat Mount max 160mm
- Max Tyre 700x28mm

275 BOB



# PRINCE DISK

PINARELLO  
Think Asymmetric

## Carbon T700

- Asymmetric Frame
- Fork ONDA with ForkFlap™
- Think2 System with E-Link™
- ICR™ Internal Cable Routing
- Drop in Bearing System 1" 1/8 - 1" 1/2
- Italian thread BB
- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- UCI Approved
- RAD SYSTEM Disk brake
- Front Axle 100x12mm Shimano®
- Rear Axle 142x12mm Shimano®
- Disk Flat Mount max 160mm
- Max Tyre 700x28mm

277 PINK  
AVAILABLE ONLY SIZES EASY FIT



# PRINCE DISK

PINARELLO  
Think Asymmetric

## Carbon T700

- Asymmetric Frame
- Fork ONDA with ForkFlap™
- Think2 System with E-Link™
- ICR™ Internal Cable Routing
- Drop in Bearing System 1" 1/8 - 1" 1/2
- Italian thread BB
- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- UCI Approved
- RAD SYSTEM Disk brake
- Front Axle 100x12mm Shimano®
- Rear Axle 142x12mm Shimano®
- Disk Flat Mount max 160mm
- Max Tyre 700x28mm

## 295 WHITE CARBON





# PRINCE

PINARELLO  
Think Asymmetric

## Carbon T700

- Asymmetric Frame
- Fork ONDA with ForkFlap™
- Think2 System with E-Link™
- ICR™ Internal Cable Routing
- Drop in Bearing System 1" 1/8 - 1" 1/2
- Italian thread BB
- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- UCI Approved
- Max Tyre 700x28mm

256 ORANGE



# PRINCE

**PINARELLO**  
Think Asymmetric

## Carbon T700

- Asymmetric Frame
- Fork ONDA with ForkFlap™
- Think2 System with E-Link™
- ICR™ Internal Cable Routing
- Drop in Bearing System 1" 1/8 - 1" 1/2
- Italian thread BB
- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- UCI Approved
- Max Tyre 700x28mm

270 BLACK RED



# PRINCE

**PINARELLO**  
Think Asymmetric

## Carbon T700

- Asymmetric Frame
- Fork ONDA with ForkFlap™
- Think2 System with E-Link™
- ICR™ Internal Cable Routing
- Drop in Bearing System 1" 1/8 - 1" 1/2
- Italian thread BB
- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- UCI Approved
- Max Tyre 700x28mm

271 BOB





# PRINCE

PINARELLO  
Think Asymmetric

## Carbon T700

- Asymmetric Frame
- Fork ONDA with ForkFlap™
- Think2 System with E-Link™
- ICR™ Internal Cable Routing
- Drop in Bearing System 1" 1/8 - 1" 1/2
- Italian thread BB
- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- UCI Approved
- Max Tyre 700x28mm

272 WHITE CARBON



# PRINCE

**PINARELLO**  
Think Asymmetric

## Carbon T700

- Asymmetric Frame
- Fork ONDA with ForkFlap™
- Think2 System with E-Link™
- ICR™ Internal Cable Routing
- Drop in Bearing System 1" 1/8 - 1" 1/2
- Italian thread BB
- Seatclamp TwinForce
- 3XAir™ two positions available for the second bottle
- FlatBack Profile
- UCI Approved
- Max Tyre 700x28mm

**276 PINK**  
AVAILABLE ONLY SIZES EASY FIT



# BOLIDE TT PINARELLO

PINARELLO  
Think Asymmetric

## Carbon T1100

with NANOALLOY Technology

- Time Trial BIKE
- Asymmetric Frame
- Drop in Bearing System 1" 1/8 - 1" 1/4
- Italian BB
- Front Axle Quick Release 100mm
- Rear Axle Quick Release 135mm
- Max Tires 700x23
- Seatpost Aero with Aero Rear Clamp
- UCI Approved

454 TEAM INEOS





# BOLIDE<sup>HR</sup>

PINARELLO  
Think Asymmetric

## Carbon T1100 1K

with NANOALLOY Technology

- Track BIKE
- Asymmetric Frame
- Drop in Bearing System 1" 1/8 - 1" 1/4
- Italian BB
- Axles Bolt-ON
- Max Tires 700x23
- Seatpost Aero with Aero Rear Clamp
- UCI Approved

866 WHITE-BLUE-RED / SHINY





**BOLIDE** 

# BOLIDE<sup>TR+</sup>

**PINARELLO**  
Think Asymmetric

## Carbon Torayca T1100G UD

with NANOALLOY Technology

- Asymmetric frame
- Drop In bearing system with tapered headset ( 1" 1/8 up; 1" 1/2 down)
- Internal cable routing
- Italian thread BB
- Flatback Profiles
- Fork Flap
- Seatpost Aero with Aero Rear Clamp
- RAD System Disk Brake
- Front Thru-Axle 100 x 12 Shimano
- Rear Thru-Axle 142 x 12 Shimano
- Disk Flat Mount max 160mm
- Max Tire 700 x 28

829 CARBON RED





# BOLIDE<sup>TR+</sup>

**PINARELLO**  
Think Asymmetric

## Carbon Torayca T1100G UD

with NANOALLOY Technology

- Asymmetric frame
- Drop In bearing system with tapered headset (1" 1/8 up; 1" 1/2 down)
- Internal cable routing
- Italian thread BB
- Flatback Profiles
- Fork Flap
- Seatpost Aero with Aero Rear Clamp
- RAD System Disk Brake
- Front Thru-Axle 100 x 12 Shimano
- Rear Thru-Axle 142 x 12 Shimano
- Disk Flat Mount max 160mm
- Max Tire 700 x 28

830 BOB



# BOLIDE<sup>TR</sup>

**PINARELLO**  
Think Asymmetric

Carbon T700 UD

- Asymmetric frame
- Drop In bearing system with tapered headset (1" 1/8 up; 1" 1/2 down)
- Internal cable routing
- Italian thread BB
- Flatback Profiles
- Fork Flap
- Seatpost Aero with Aero Rear Clamp
- RAD System Disk Brake
- Front Thru-Axle 100 x 12 Shimano
- Rear Thru-Axle 142 x 12 Shimano
- Disk Flat Mount max 160mm
- Max Tire 700 x 28

828 RED



# BOLIDE<sup>TR</sup>

**PINARELLO**  
Think Asymmetric

Carbon T700 UD

- Asymmetric frame
- Drop In bearing system with tapered headset (1" 1/8 up; 1" 1/2 down)
- Internal cable routing
- Italian thread BB
- Flatback Profiles
- Fork Flap
- Seatpost Aero with Aero Rear Clamp
- RAD System Disk Brake
- Front Thru-Axle 100 x 12 Shimano
- Rear Thru-Axle 142 x 12 Shimano
- Disk Flat Mount max 160mm
- Max Tire 700 x 28

831 CARBON NAKED







**GREVIL+**

# GREVIL+

**PINARELLO**  
Think Asymmetric

## Carbon Torayca T1100 1K Dream Carbon

with Nanoalloy Technology

- Asymmetric frame
- Twin Arms Asymmetric
- Flexstays
- Dedicated Onda fork
- AERO seat post
- FSC Frontal seat clamp, integrated and aerodynamic
- Think 2 to fit electrical or mechanical groupsets on the same frame
- ICR internal cable routing
- Drop In bearing system 1" 1/8 up; 1" 1/2 down
- Italian thread BB
- Flatback profiles
- Fork Flap
- E-link
- Down tube bottle cage

· Max Tire: 700c x 42 mm / Max Tire: 650b x 2,1"

- 1x and 2x crankset option
- RAD SYSTEM disc brakes
- Disc Flat Mount (max Ø160 mm)
- Front Axle Ø12 x 100 mm Shimano®
- Rear Axle Ø12 x 142 mm Shimano®

## 508 CARBON PETROL





# GREVIL+

**PINARELLO**  
Think Asymmetric

**Carbon Torayca T1100 1K Dream Carbon**

with Nanoalloy Technology

- Asymmetric frame
- Twin Arms Asymmetric
- Flexstays
- Dedicated Onda fork
- AERO seat post
- FSC Frontal seat clamp, integrated and aerodynamic
- Think 2 to fit electrical or mechanical groupsets on the same frame
- ICR internal cable routing
- Drop In bearing system 1" 1/8 up; 1" 1/2 down
- Italian thread BB
- Flatback profiles
- Fork Flap
- E-link
- Down tube bottle cage

· Max Tire: 700c x 42 mm / Max Tire: 650b x 2,1"

- 1x and 2x crankset option
- RAD SYSTEM disc brakes
- Disc Flat Mount (max Ø160 mm)
- Front Axle Ø12 x 100 mm Shimano®
- Rear Axle Ø12 x 142 mm Shimano®

294 BOB





# GREVIL+

**PINARELLO**  
Think Asymmetric

## Carbon Torayca T1100 1K Dream Carbon

with Nanoalloy Technology

- Asymmetric frame
- Twin Arms Asymmetric
- Flexstays
- Dedicated Onda fork
- AERO seat post
- FSC Frontal seat clamp, integrated and aerodynamic
- Think 2 to fit electrical or mechanical groupsets on the same frame
- ICR internal cable routing
- Drop In bearing system 1" 1/8 up; 1" 1/2 down
- Italian thread BB
- Flatback profiles
- Fork Flap
- E-link
- Down tube bottle cage

· Max Tire: 700c x 42 mm / Max Tire: 650b x 2,1"

- 1x and 2x crankset option
- RAD SYSTEM disc brakes
- Disc Flat Mount (max Ø160 mm)
- Front Axle Ø12 x 100 mm Shimano®
- Rear Axle Ø12 x 142 mm Shimano®

268 CARBON VERTIGO BLUE



# GREVIL

**PINARELLO**  
Think Asymmetric

## Carbon Torayca T700 UD

- Asymmetric frame
- Twin Arms Asymmetric
- Flexstays
- Dedicated Onda fork
- AERO seat post
- FSC Frontal seat clamp, integrated and aerodynamic
- Think 2 to fit electrical or mechanical groupsets on the same frame
- ICR internal cable routing
- Drop In bearing system with tapered headset (1" 1/8 up; 1" 1/2 down)
- Italian thread BB
- Flatback profiles
- Fork Flap
- E-link
- Down tube bottle cage

- Max Tire: 700c x 42 mm / Max Tire: 650b x 2,1"
- 1x and 2x crankset option
- RAD SYSTEM disc brakes
- Disc Flat Mount (max Ø160 mm)
- Front Axle Ø12 x 100 mm Shimano®
- Rear Axle Ø12 x 142 mm Shimano®

505 BOB



# GREVIL

**PINARELLO**  
Think Asymmetric

## Carbon Torayca T700 UD

- Asymmetric frame
- Twin Arms Asymmetric
- Flexstays
- Dedicated Onda fork
- AERO seat post
- FSC Frontal seat clamp, integrated and aerodynamic
- Think 2 to fit electrical or mechanical groupsets on the same frame
- ICR internal cable routing
- Drop In bearing system with tapered headset (1" 1/8 up; 1" 1/2 down)
- Italian thread BB
- Flatback profiles
- Fork Flap
- E-link
- Down tube bottle cage

- Max Tire: 700c x 42 mm / Max Tire: 650b x 2,1"
- 1x and 2x crankset option
- RAD SYSTEM disc brakes
- Disc Flat Mount (max Ø160 mm)
- Front Axle Ø12 x 100 mm Shimano®
- Rear Axle Ø12 x 142 mm Shimano®

## 506 PETROL





# GREVIL

**PINARELLO**  
Think Asymmetric


## Carbon Torayca T700 UD

- Asymmetric frame
- Twin Arms Asymmetric
- Flexstays
- Dedicated Onda fork
- AERO seat post
- FSC Frontal seat clamp, integrated and aerodynamic
- Think 2 to fit electrical or mechanical groupsets on the same frame
- ICR internal cable routing
- Drop In bearing system with tapered headset (1" 1/8 up; 1" 1/2 down)
- Italian thread BB
- Flatback profiles
- Fork Flap
- E-link
- Down tube bottle cage

- Max Tire: 700c x 42 mm / Max Tire: 650b x 2,1"
- 1x and 2x crankset option
- RAD SYSTEM disc brakes
- Disc Flat Mount (max Ø160 mm)
- Front Axle Ø12 x 100 mm Shimano®
- Rear Axle Ø12 x 142 mm Shimano®

## 507 VERTIGO BLUE





### DOGMA F12 / DOGMA F12 DISK / DOGMA F12 XLIGHT / DOGMA F12 XLIGHT DISK

CF	CC	L	I	A [°]	B [°]	F	P	T	D	R	G	REACH	STACK
415	420*	498	113	74,40	69,15	564	406	94	67	43	373	348,9	498,3
435	440	503	118	74,40	70,00	564	406	99	67	43	373	354,3	506
455	465	515	125	74,40	70,50	573	406	104	72	43	373	364,8	517,6
455	470	525	128	74,00	71,40	575	406	114	72	43	373	370,5	530,2
480	500	525	138	74,00	71,40	575	406	109	72	43	373	372,1	525,4
495	515	535	145	73,70	72,00	577	406	114	72	43	373	378	532,3
510	530	545	149	73,70	72,50	583	406	123	72	43	373	383,3	542,6
520	540	550	154	73,40	72,80	583	406	131	72	43	373	385	551,2
530	550	557	157	73,40	72,80	590	408	142	72	43	373	388,8	561,6
540	560	565	164	73,00	73,20	591	408	149,5	72	43	373	390,7	570,2
555	575	575	168	73,00	73,70	596	408	163	72	43	373	396,7	584,8
575	595	587	180	72,40	73,40	605	408	199	67	43	373	393,3	613,3
615	620*	620	192	72,00	73,40	633	411	239	67	43	373	410,1	651,7

\*DOGMA F12 XLIGHT / DOGMA F12 XLIGHT DISK NOT AVAILABLE IN 420-620 SIZES

## DOGMA F10 / DOGMA F10 DISK

CF	CC	L	I	A [°]	B [°]	F	P	T	D	R	G	REACH	STACK
415	420**	498	113	74.40°	69.15°	564	406	105	67	43	367	351	493
435	440	503	118	74.40°	70.00°	564	406	110	67	43	367	357	501
455	465	515	125	74.40°	70.50°	573	406	115	72	43	367	367	512
455	470**	525	128	74.00°	71.40°	575	406	125	72	43	367	373	525
480	500	525	138	74.00°	71.40°	575	406	120	72	43	367	374	520
495	515	535	145	73.70°	72.00°	577	406	125	72	43	367	380	527
510	530	545	149	73.70°	72.50°	583	406	139	72	43	367	386	542
520	540	550	154	73.40°	72.80°	583	406	147	72	43	367	386	550
530	550	557	157	73.40°	72.80°	590	408	158	72	43	367	389	561
540	560	565	164	73.00°	73.20°	591	408	165	72	43	367	391	569
555	575	575	168	73.00°	73.70°	596	408	179	72	43	367	397	584
575	595	587	180	72.40°	73.40°	605	408	215	67	43	367	394	612
615	620	620	192	72.00°	73.40°	633	411	255	67	43	367	410	651

\*\*DOGMA F10 DISK NOT AVAILABLE IN 420-470 SIZES



### PRINCE FX / PRINCE FX DISK / PRINCE DISK /PRINCE

CF	CC	L	I	A [°]	B [°]	F	P	T	D	R	G	REACH	STACK
435	440	503	118	74,40	70,00	565	408	115	67	43	367	354	506
460	465	515	124	74,40	70,50	575	408	120	67	43	367	367	513
495	500	525	138	74,00	71,40	575	408	125	72	43	367	372	525
510	515	535	145	73,70	72,00	577,5	408	130	72	43	367	378	532
525	530	545	149	73,70	72,50	583	408	139	72	43	367	386	543
535	540	550	154	73,40	72,80	583	408	152	72	43	367	384	556
545	550	557	157	73,40	72,80	590	408	163	72	43	367	387	567
555	560	565	163	73,00	73,20	591	410	170	72	43	367	390	575
570	575	575	168	73,00	73,70	596	410	184	72	43	367	395	590
590	595	587	180	72,40	73,40	605	410	210	67	43	367	395	609
615	620*	620	192	72,00	73,40	633	411	255	67	43	367	410	651

### PRINCE FX EASY FIT / PRINCE FX DISK EASY FIT/ PRINCE DISK EASY FIT /PRINCE EASY FIT

CF	CC	L	I	A [°]	B [°]	F	P	T	D	R	G	REACH	STACK
440	425	500	117	74,00	70,00	563	408	115	67	50	367	348	504
475	460	512	127	74,00	71,00	570	408	130	67	50	367	358	522
505	490	528	139	73,50	72,00	575	408	145	72	50	367	365	544
525	510	545	149	73,00	72,00	588	408	155	72	50	367	374	554

## BOLIDE HR

CF	CC	L	I	A [°]	B [°]	F	P	T	D	R	G	REACH	STACK
514	450	488	101	77,00	72,00	557	385	74	62	43	368,5	377	469
539	525	514	118	77,00	73,00	582	385	94	62	43	368,5	402	492
554	550	545	123	77,00	73,00	614	385	110	62	43	368,5	430	508

## BOLIDE TT

CF	CC	L	I	A [°]	B [°]	F	P	T	D	R	G	REACH	STACK
472	450	488	101	77,00	72,00	559	395	70	57	43	368,5	380	461
492	485	507	109	77,00	72,50	576	395	82	62	43	368,5	396	479
508	520	526	117	77,00	73,00	593	395	96	62	43	368,5	413	494
521	550	545	124	77,00	73,00	614	395	110	62	43	368,5	430	507

## BOLIDE TR+ / BOLIDE TR

CF	CC	L	I	A [°]	B [°]	F	P	T	D	R	G	REACH	STACK
472	450	480	94	78,00	72,00	557	395	90	65	43	373	369	492
492	485	500	101	78,00	72,50	576	395	106	70	43	373	386	515
507	520	520	108	78,00	73,00	595	395	120	70	43	373	405	530
537	550	540	114	78,00	73,00	618	395	134	70	43	373	424	543

## GREVIL + / GREVIL

CF	CC	L	I	A [°]	B [°]	F	P	T	D	R	G	REACH	STACK
420	440	510	121	74,00	69,50	579	420	105	67	50	395	353	519
435	470	520	133	73,50	70,00	583	420	110	67	50	395	359	525
450	500	535	146	73,00	70,50	591	420	120	67	50	395	368	537
465	530	550	159	72,50	71,00	598	420	135	67	50	395	374	553
495	560	575	173	72,00	72,00	610	425	160	67	50	395	386	580
525	590	600	182	72,00	72,50	630	425	190	67	50	395	402	611

# 2019 Tech Features

MODEL	MATERIAL	DISCIPLINE	UCI LABEL	ASYM SYSTEM	BRAKE	BOTTOM BRACKET	HEADSET	CABLE ROUTING	AXLES	SUSPENSION
DOGMA F12 Disk	Carbon T1100 1K Torayca®	ROAD RACING	YES	YES	DISK Flat Mount	ITALIAN Thread	Drop In (Upper 1-1/2 - Lower 1-1/2)	TiCR	Thru Axle	NO
DOGMA F12	Carbon T1100 1K Torayca®	ROAD RACING	YES	YES	RIM Direct Mount	ITALIAN Thread	Drop In (Upper 1-1/2 - Lower 1-1/2)	TiCR	Quick Release	NO
DOGMA F12 XLight Disk	Carbon T1100 UD Torayca®	ROAD RACING	YES	YES	DISK Flat Mount	ITALIAN Thread	Drop In (Upper 1-1/2 - Lower 1-1/2)	TiCR	Thru Axle	NO
DOGMA F12 XLight	Carbon T1100 UD Torayca®	ROAD RACING	YES	YES	RIM Direct Mount	ITALIAN Thread	Drop In (Upper 1-1/2 - Lower 1-1/2)	TiCR	Quick Release	NO
DOGMA F10	Carbon T1100 1K Torayca®	ROAD RACING	YES	YES	RIM standard	ITALIAN Thread	Drop In (Upper 1-1/8 - Lower 1-1/2)	Think2	Quick Release	NO
DOGMA F10 Disk	Carbon T1100 1K Torayca®	ROAD RACING	YES	YES	DISK Flat Mount	ITALIAN Thread	Drop In (Upper 1-1/8 - Lower 1-1/2)	Think2	Thru Axle	NO
PRINCE FX Disk	Carbon T900	ROAD RACING	YES	YES	DISK Flat Mount	ITALIAN Thread	Drop In (Upper 1-1/8 - Lower 1-1/2)	Think2	Thru Axle	NO
PRINCE FX	Carbon T900	ROAD RACING	YES	YES	RIM standard	ITALIAN Thread	Drop In (Upper 1-1/8 - Lower 1-1/2)	Think2	Quick Release	NO
PRINCE Disk	Carbon T700	ROAD RACING	YES	YES	DISK Flat Mount	ITALIAN Thread	Drop In (Upper 1-1/8 - Lower 1-1/2)	Think2	Thru Axle	NO
PRINCE	Carbon T700	ROAD RACING	YES	YES	RIM standard	ITALIAN Thread	Drop In (Upper 1-1/8 - Lower 1-1/2)	Think2	Quick Release	NO
BOLIDE HR	Carbon T1100 1K Torayca®	TRACK	YES	YES	NO BRAKE	ITALIAN Thread	Drop In (Upper 1-1/8 - Lower 1-1/4)	NO CABLE	BOLT ON	NO
BOLIDE TT	Carbon T1100 UD Torayca®	TIME TRIAL	YES	YES	RIM Pinarello Bolide	ITALIAN Thread	Drop In (Upper 1-1/8 - Lower 1-1/4)	Think2	Quick Release	NO
BOLIDE TR +	Carbon T1100 UD Torayca®	TRIATHLON	NO	YES	DISK Flat Mount	ITALIAN Thread	Drop In (Upper 1-1/8 - Lower 1-1/2)	Think2	Thru Axle	NO
BOLIDE TR	Carbon T700 UD	TRIATHLON	NO	YES	DISK Flat Mount	ITALIAN Thread	Drop In (Upper 1-1/8 - Lower 1-1/2)	Think2	Thru Axle	NO
GREVIL +	Carbon T1100 1K Torayca®	GRAVEL	NO	YES	DISK Flat Mount	ITALIAN Thread	Drop In (Upper 1-1/8 - Lower 1-1/2)	Think2	Thru Axle	NO
GREVIL	Carbon T700 UD	GRAVEL	NO	YES	DISK Flat Mount	ITALIAN Thread	Drop In (Upper 1-1/8 - Lower 1-1/2)	Think2	Thru Axle	NO





  
**PINARELLO**<sup>®</sup>  
ThinkAsymmetric

Viale della Repubblica 12 | 31020 Villorba (TV) Italia

Tel. +39 0422 420877 | [infobike@pinarello.com](mailto:infobike@pinarello.com)

[pinarello.com](http://pinarello.com)